

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE Important: Follow the instructions on pages 1–9.

A1. Building Own			T HE OKNE	ATION				ANCE COMPANY L
A1. Building Owner's Name CK CARR BROTHERS 2, LLC							Policy Numb	er:
A2. Building Stre Box No. 220 GLOUCESTE		cluding Apt., Unit, Su	ite, and/or B	Bldg. No.) o	or P.O. Route and	(Company NA	AIC Number:
City				State		7	ZIP Code	
LITTLE RIVE	R			South C	arolina	2	29566	
	,	nd Block Numbers, T S @ MARKER 350	ax Parcel N	umber, Le	gal Description, e	tc.)		
4. Building Use	(e.g., Resider	ntial, Non-Residential	, Addition, A	ccessory,	etc.) RESIDEN	NTIAL		944 n.H
5. Latitude/Long	gitude: Lat. 3	3D51'11.918"	Long. 78D	39'22.727	Horizonta	al Datum:	NAD 1	927 × NAD 1983
6. Attach at lea	st 2 photograp	hs of the building if th	ne Certificate	e is being i	used to obtain floo	od insura	nce.	
7. Building Diag								
		space or enclosure(s)						
a) Square to	otage of craw	Ispace or enclosure(s	3)		1144.00 sq ft			
b) Number o	f permanent flo	ood openings in the c	rawlspace o	r enclosur	e(s) within 1.0 foo	ot above a	adjacent gra	de 6
c) Total net a	area of flood o	penings in A8.b	123	30.00 sq ii	1			
d) Engineere	ed flood openir	ngs? 🗵 Yes 🗌	No					
For a building	with an attach	ned garage:						
		- JJ						
a) Square for	otage of attach			N/A sq f				
	otage of attach		ittached gara			ljacent gr	ade N/A	
b) Number o	otage of attach	ned garage		age within	1.0 foot above ad	ljacent gr	ade N/A	
b) Number o	otage of attach	ned garage ood openings in the a penings in A9.b		age within	1.0 foot above ad	ljacent gr	ade N/A	
b) Number o	otage of attach	ned garage ood openings in the a penings in A9.b		age within	1.0 foot above ad	ljacent gr	ade N/A	
b) Number o	otage of attach f permanent flo area of flood opening	ned garage ood openings in the a penings in A9.b ngs?	No	age within	1.0 foot above ad			
b) Number o c) Total net a d) Engineere	otage of attach f permanent flo area of flood op ed flood openin	ned garage ood openings in the a penings in A9.b ngs?	No INSURAN	N/A so	1.0 foot above ad			D2 Ctata
b) Number o c) Total net a d) Engineere	otage of attach f permanent flo area of flood opening d flood opening SE unity Name & C	ned garage ood openings in the a penings in A9.b ngs?	No INSURAN	age within	1.0 foot above ad in MAP (FIRM) INI			B3. State South Carolina
b) Number o c) Total net a d) Engineere	otage of attach f permanent flo area of flood opening d flood opening SE unity Name & C	ned garage ood openings in the a penings in A9.b ngs?	No INSURAN	CE RATE 32. County HORRY CO	1.0 foot above ad in MAP (FIRM) INI	FORMAT	TION ase Flood El	South Carolina evation(s)
b) Number o c) Total net a d) Engineere 31. NFIP Commu HORRY COUNTY	otage of attach f permanent flo area of flood openin d flood openin Si inity Name & C	ned garage	No INSURAN	CE RATE 32. County HORRY CO	1.0 foot above ad in MAP (FIRM) INI Name DUNTY	FORMAT	TION ase Flood El	South Carolina evation(s)
b) Number of c) Total net a d) Engineere 31. NFIP Communication of the c	otage of attach f permanent flo area of flood openin Stanity Name & C Y 450104 B5. Suffix H	ned garage	B7. FIRM Effect Revis 08-23-199	CE RATE 32. County HORRY CO	1.0 foot above ad in MAP (FIRM) INI Name DUNTY B8. Flood Zone(s) AE	B9. Ba	rion ase Flood Eli one AO, use	South Carolina
b) Number of c) Total net a d) Engineere 31. NFIP Community COUNTY 4. Map/Panel Number 5051C0581	otage of attach f permanent flo area of flood opening d flood opening Stantity Name & C Y 450104 B5. Suffix H e source of the file × FIRM	ned garage	B7. FIRM Effect Revis 08-23-199	CE RATE 32. County HORRY CO I Panel tive/ jed Date 99 a or base fl	MAP (FIRM) INI Name DUNTY B8. Flood Zone(s) AE	B9. Ba (Z)	rion ase Flood Eli one AO, use	South Carolina evation(s)
b) Number of c) Total net a d) Engineere al. NFIP Community (NFIP COUNTY) at Map/Panel Number al. Map/Panel Number al. Indicate the FIS Project al. Indicate elections at the county of	otage of attach f permanent florarea of flood opening opening opening of flood opening op	ned garage	B7. FIRM Effect Revis 08-23-19	CE RATE 32. County HORRY CO I Panel tive/ led Date 99 a or base fl Other/Soc	MAP (FIRM) INI Name DUNTY B8. Flood Zone(s) AE ood depth enteredurce:	B9. Ba (Z)	rion ase Flood Eliphone AO, use B9: er/Source:	South Carolina evation(s) Base Flood Depth
b) Number o c) Total net a d) Engineere B1. NFIP Commu- HORRY COUNTY 4. Map/Panel Number 5051C0581 B10. Indicate the FIS Prof	otage of attach f permanent flo area of flood openin Signity Name & C Y 450104 B5. Suffix H e source of the file X FIRM evation datum of	ned garage	B7. FIRM Effect Revis 08-23-19	CE RATE 32. County HORRY CO I Panel tive/ led Date 99 a or base fl Other/Soc	MAP (FIRM) INI Name DUNTY B8. Flood Zone(s) AE ood depth enteredurce:	B9. Ba (Z)	rion ase Flood Eliphone AO, use B9: er/Source:	South Carolina evation(s) Base Flood Depth

123757 8.p.2021 RMLCs.22

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPO	RTANT: In	these spaces, copy the corresponding informati	on from Section A.	FOR INS	SURANCE COMPANY USE
	ng Street A	ddress (including Apt., Unit, Suite, and/or Bldg. No.) ER WAY) or P.O. Route and Box No.	Policy N	umber:
City		State	ZIP Code	Compan	y NAIC Number
LITTL	E RIVER	South Carolin	a 29566		
		SECTION C - BUILDING ELEVATION	INFORMATION (SURVE)	REQUIRE	0)
C1.	Building el	evations are based on: Construction Drawing	s* Building Under Cor	struction*	▼ Finished Construction
	*A new Ele	vation Certificate will be required when construction	of the building is complete.		
C2.	Complete	 Zones A1–A30, AE, AH, A (with BFE), VE, V1–V3 tems C2.a–h below according to the building diagram 			
	Benchmar	Utilized: SC VRS Ve	rtical Datum: NGVD 1929		
	Indicate el	evation datum used for the elevations in items a) thr	rough h) below.		
	×	NGVD 1929 NAVD 1988 Other/Source:		-121 /17	
	Datum use	d for building elevations must be the same as that u	ised for the BFE.	Chec	k the measurement used.
	a) Top of	pottom floor (including basement, crawlspace, or en	closure floor)		x feet meters
		the next higher floor	closure moory		
			- anto	N/A	feet meters
		of the lowest horizontal structural member (V Zones	s only)		★ feet
		ed garage (top of slab)		14/15	A lock
	(Descri	elevation of machinery or equipment servicing the to be type of equipment and location in Comments)	building		x feet meters
	f) Lowest	adjacent (finished) grade next to building (LAG)		9.1	x feet meters
	g) Highes	adjacent (finished) grade next to building (HAG)		9.5	× feet meters
		adjacent grade at lowest elevation of deck or stairs al support	, including	N/A	feet meters
		SECTION D - SURVEYOR, ENGINE	ER OR ARCHITECT CER	TIEICATION	
state	rtify that the ement may	n is to be signed and sealed by a land surveyor, enginformation on this Certificate represents my best eleperated by fine or imprisonment under 18 U.S. and longitude in Section A provided by a licensed land	offorts to interpret the data as S. Code, Section 1001.	vailable. I und	ertify elevation information. lerstand that any false heck here if attachments.
	ifier's Name		Number		
JAC	QUES J. B	ONNETT 21431			William Constitution of the Constitution of th
Title					111 93100
Con	pany Name			- 3	o Place o
SITE	SURVEY	NG, LLC		1 37	Seen sis
Add 111		K FOREST PL			Pere A
City	NWAY	State South C	ZIP Code arolina 29527		ANITO SHITTER
Sign	ature	Date 08-04-2	Telephone 021 (843) 397-800	Ext.	
Copy	all pages	f this Elevation Certificate and all attachments for (1)	community official, (2) insurar	nce agent/com	pany, and (3) building owner.
SHE	ET. THE N	uding type of equipment and location, per C2(e), if a HINERY WILL BE AC UNIT. FLOOD VENTS ARE IS TARE OF OPENINGS IS 630 SQUARE INCHES. GINEERED RELIEF AREA OF OPENINGS. THIS IS OUNDATION AND FRAMING CONSIDERED SHEAT	ENGINEERED FOR 205 SQ THE COUNTY MAKES ME UNIT IS NOT ON PILES, BU	PUT SQUAR	RE INCHES OF OPENING

123757 8-12-2021 ZMLEVIZZ

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In the	nese spaces, copy the corre	sponding information fr	om Section A.		FOR INSURAN	ICE COMPANY USE
Building Street Ad 220 GLOUCESTE	dress (including Apt., Unit, Su R WAY	ite, and/or Bldg. No.) or P	O. Route and Bo	x No.	Policy Number	
City		State	ZIP Code		Company NAIC	Number
LITTLE RIVER		South Carolina	29566			
		NG ELEVATION INFOR R ZONE AO AND ZONE			REQUIRED)	4.6.6.5
For Zones AO and complete Sections enter meters.	d A (without BFE), complete Its s A, B,and C. For Items E1–E4	ems E1–E5. If the Certific 4, use natural grade, if ava	ate is intended to ailable. Check the	support a l measurem	OMA or LOMF	R-F request, uerto Rico only,
the highest ac	ation information for the following diacent grade (HAG) and the latest tom floor (including basement	lowest adjacent grade (LA		w whether	the elevation is	above or below
crawlspac	ce, or enclosure) is		feet	meters	above or	below the HAG.
	tom floor (including basement be, or enclosure) is		feet	meters	above or	below the LAG.
	Diagrams 6–9 with permanent er floor (elevation C2.b in	flood openings provided	in Section A Items	s 8 and/or 9	(see pages 1-	-2 of Instructions),
	of the building is		feet	meters	above or	below the HAG
E3. Attached gara	age (top of slab) is		feet	meters	above or	below the HAG.
E4. Top of platfor servicing the	m of machinery and/or equipment building is	nent	feet	meters	□ above or	below the HAG.
E5. Zone AO only	: If no flood depth number is a		bottom floor elev	ated in acc	ordance with th	
floodplain ma	nagement ordinance? Y	es No Unknow	vn. The local offi	cial must co	ertify this inforn	nation in Section G.
	SECTION F - PROPERT	TY OWNER (OR OWNER	'S REPRESENT	ATIVE) CEI	RTIFICATION	
	er or owner's authorized repre					
	Owner's Authorized Represe		cottono 71, D, una	E die com	oct to the boot	or my knowledge.
rioperty owner of	Owner & Authorized Neprese	intative 3 Name				
Address		C	ity	Sta	te	ZIP Code
Signature		D	ate	Tele	ephone	
					2	
Comments						
					Check	here if attachments.

[23757 8.12-282] RMLEUIZZ

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In	these spaces, copy the corre	sponding information from	Section A.	FOR INSURANCE COMPANY USE
Building Street A 220 GLOUCEST	ddress (including Apt., Unit, Su ER WAY	ite, and/or Bldg. No.) or P.O	Route and Box No.	Policy Number:
City LITTLE RIVER		State South Carolina	ZIP Code 29566	Company NAIC Number
	SECTIO	N G - COMMUNITY INFOR	MATION (OPTIONAL)	
Sections A, B, C used in Items G8 G1. The infending data in G2. A comor Zon	(or E), and G of this Elevation (3–G10. In Puerto Rico only, enti- formation in Section C was take er, or architect who is authorize the Comments area below.)	Certificate. Complete the apper meters. In from other documentation and by law to certify elevation on E for a building located in	that has been signed a information. (Indicate the Zone A (without a FEM.)	nagement ordinance can complete in below. Check the measurement and sealed by a licensed surveyor, we source and date of the elevation. A-issued or community-issued BFE) ent purposes.
G4. Permit Num	ber	G5. Date Permit Issued		Date Certificate of Compliance/Occupancy Issued
	has been issued for:	New Construction Subs	tantial Improvement	
of the build G9. BFE or (in 2	ing: Zone AO) depth of flooding at the state of the stat	ne building site:	feet	Datum
Local Officials N	ame	Title		
Community Name	е	Tele	phone	
Signature		Date		
Comments (inclu	ding type of equipment and local	ation, per C2(e), if applicable		
			I die	Check here if attachments.

123757 8-12-2821 PLMLEV, 22

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, co	FOR INSURANCE COMPANY USE		
Building Street Address (including 220 GLOUCESTER WAY	Apt., Unit, Suite, and/or Bldg. No.) or P	O.O. Route and Box No.	Policy Number:
City	State	ZIP Code	Company NAIC Number
	South Carolina	29566	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One Caption FRONT Clear Photo One



Photo Two Caption BACK

Clear Photo Two

123757 8-12-2021 Pamber, 22

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2022

MPORTANT: In these spaces, co	FOR INSURANCE COMPANY USE Policy Number:		
Building Street Address (including 220 GLOUCESTER WAY			
City	State	ZIP Code	Company NAIC Number
LITTLE RIVER	South Carolina	29566	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.




Photo Thre

Photo Three Caption FLOOD VENT

Clear Photo Three



Photo Four Caption

Clear Photo Four

Certification of Engineered Flood Openings

In accordance with the Code of Federal Regulations for the National Flood Insurance Program

I hereby certify that the Crawl Space Door Systems flood vents 816CS, 1220CS, 1232CS, 1616CS, 1624CS, 1632CS, 2032CS, 2424CS, and 2436CS are designed are designed in accordance with the requirements of the Code of Federal Regulations for the National Flood Insurance Program (NFIP) to provide automatic equalization of hydrostatic flood forces by allowing for the entry and exit of floodwaters, when properly installed and sized as set forth below. Vent opening measurements were measured and certified by Mr. Christopher Mark Loney, Virginia P.E. NO. 029000. Detailed calculations were prepared as outlined In "Review of certification of Engineered Flood Openings," prepared by Dr. Georg Reichard, Associate Professor of Building Construction, Virginia Tech (available upon request from Crawl Space Door Systems, Inc. billy@crawlspacedoors.com)

Design Characteristics

Section 2.6.2.2 of ASCE/SEI 24-05 provides an equation to determine the required <u>net area</u> of engineered openings (A_o) for a given <u>enclosed area</u> (A_e). This equation is based on the hydraulic formula for the flow rate across sharp edged orifices. I have utilized this equation to calculate 1) the restricted flow rate through the main frame opening in case the louver is blown out during a flood event; 2) the flow rate through the individual openings between louver blades; and 3) the flow rate through projected openings between louver blades following hydraulic short-tube theory. The maximum total enclosed area (A_e) that can be serviced by a single vent has then been determined by utilizing the lowest flow rate of the three assessed scenarios for each vent and is listed in Table 1.

These values are based on the following assumptions:

- In absence of reliable data, the rates of rise and fall have been assumed at a minimum rate of 5 feet/hour;
- The (maximum) difference between the exterior and interior floodwater levels shall not exceed 1 foot during base flood conditions;
- A factor of safety of 5 has been assumed, which is consistent with design practices related to protection of life and property;
- The net area of openings (A_o) as provided by the manufacturer.

Installation I	Requirements	and Limitations
Instanation i	nequiremes	alla Pillitarioni

This certification will be voided if the following installation requirements and limitations are not enforced:

- There shall be a minimum of two openings on different sides of each enclosed area subject to flooding;
- The bottom of all openings shall be no higher than one foot above the higher of the interior or exterior grade that is immediately under each opening;
- No temporary (e.g. during cold weather) or permanent solid cover may be placed into or over the flood vent that would block the
 automatic entry or exit of floodwaters at any time;
- Where data or analyses indicate more rapid rates of rise and fall, the required number of openings shall be increased to account
 for those different conditions. The number or size of the openings may be decreased if data or analyses indicate rates of rise and
 fall are less than 5 feet per hour.

*)	Model	H x W [in]	A _o [in ²]	A _e [ft ²]
2	816CS	8 x 16	105	205
	1220CS	12 x 20	235	500
	1232CS	12 x 32	305	645
	1616CS	16 x 16	180	395
	1624CS	16 x 24	310	670
	1632CS	16 x 32	405	835
	2032CS	20 x 32	630	1240
	2424CS	24 x 24	570	1230
	2436CS	24 x 36	850	1765

Table 1 Maximum total <u>enclosed</u> <u>area</u> (A_e) that can be serviced by each individual model based on the given <u>net area</u> of engineered openings (A_o)

ng Design Professional	H CARO
Frederick Allen House	Title President HOUSE
House Engineering P.C.	ENGINEERING, P.C.
PO Box 466, Kitty Hawk, NC 27949	No. 3900 No. 26841
South Carolina	License No. 26841
" Red Altonia P.E.	Date: 11/17/2017
	Frederick Allen House House Engineering P.C. PO Box 466, Kitty Hawk, NC 27949 South Carolina

Identification of the Building and Installed Flood Vents (By Others)

The flood vent models marked in Table 1*) are being installed at the following building:

Building Address

Spring 2012