U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB Control No. 1660-0008 Expiration Date: 06/30/2026

ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE						
A1. Building Owner's Name: DONALD E. BROOME AND ROBIN F. PHILLIPS	Policy Number:						
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 4840 WILLIAMS ISLAND DRIVE	Company NAIC Number:						
City: LITTLE RIVER State: SC	ZIP Code: 29566						
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel NumPARADISE ISLAND, LOT 53 REVISED, PIN: 350-06-02-0118	nber:						
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): RESIDENTIAL							
A5. Latitude/Longitude: Lat. 33.849196 Long78.661308 Horiz. Datum:	NAD 1927 NAD 1983 WGS 84						
A6. Attach at least two and when possible four clear color photographs (one for each side) of the bu							
A7. Building Diagram Number: 1B							
A8. For a building with a crawlspace or enclosure(s):							
a) Square footage of crawlspace or enclosure(s): N/A sq. ft.							
b) Is there at least one permanent flood opening on two different sides of each enclosed area?	☐ Yes ☐ No ☒ N/A						
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot Non-engineered flood openings:0 Engineered flood openings:0	above adjacent grade:						
d) Total net open area of non-engineered flood openings in A8.c:0 sq. in.							
e) Total rated area of engineered flood openings in A8.c (attach documentation - see Instruction	ons): 0 sq. ft.						
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): 0 sq. ft.							
A9. For a building with an attached garage:							
a) Square footage of attached garage: 198.0 sq. ft.							
b) Is there at least one permanent flood opening on two different sides of the attached garage?	☐ Yes ☑ No ☐ N/A						
c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adja Non-engineered flood openings:0 Engineered flood openings:2	cent grade:						
d) Total net open area of non-engineered flood openings in A9.c: o sq. in.							
e) Total rated area of engineered flood openings in A9.c (attach documentation - see Instruction	ons): 400 sq. ft.						
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): 400 sq. ft.							
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFOR	MATION						
B1.a. NFIP Community Name: HORRY COUNTY B1.b. NFIP Comm	munity Identification Number: 450104						
B2. County Name: HORRY B3. State: SC B4. Map/Panel No.: 4	5051C / 0606 B5. Suffix: K						
B6. FIRM Index Date: 12/16/2021 B7. FIRM Panel Effective/Revised Date: 12/16/202	21						
B8. Flood Zone(s): AE B9. Base Flood Elevation(s) (BFE) (Zone AO, use B	ase Flood Depth): 10						
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9: FIS FIRM Community Determined Other:							
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:							
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No Designation Date: CBRS OPA							
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)?	No						

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:				FOR INSURANCE COMPANY USE				
4840 WILLIAMS ISLAND DRIVE City: LITTLE RIVER	State: SC	ZIP Code: 29566		Policy Number: Company NAIC Number:				
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)								
C1. Building elevations are based on: Constr				⊠ Fir	nished	Const	truction	
C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, A99. Complete Items C2.a–h below according to the Building Diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: SC VRS SYSTEM Vertical Datum: 1988								
Indicate elevation datum used for the elevations in ☐ NGVD 1929 ☑ NAVD 1988 ☐ Other:	items a) through	h) below.						
Datum used for building elevations must be the sar If Yes, describe the source of the conversion factor	me as that used in the Section [for the BFE. Conversi Comments area.	on factor used?		Yes		lo	
a) Top of bottom floor (including basement, cr	awlspace, or en	closure floor):	13.0		feet	_	surement used: meters	
b) Top of the next higher floor (see Instruction	ıs):		N/A		feet	□ r	meters	
c) Bottom of the lowest horizontal structural m	nember (see Inst	ructions):	N/A		feet	n	neters	
d) Attached garage (top of slab):			6.8		feet	r	meters	
 e) Lowest elevation of Machinery and Equipm (describe type of M&E and location in Secti 	ent (M&E) servi on D Comments	cing the building area):	14.6		feet	□ r	meters	
f) Lowest Adjacent Grade (LAG) next to build	ing: Natura	I ⊠ Finished	5.8		feet	r	neters	
g) Highest Adjacent Grade (HAG) next to build	ding: 🔲 Natura	I 🔀 Finished	6.8		feet	□ n	neters	
 h) Finished LAG at lowest elevation of attache support: 	ed deck or stairs	, including structural	6.8		feet	n	neters	
SECTION D - SURVE	EYOR, ENGIN	EER, OR ARCHITE	CT CERTIFICA	TION				
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by state law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.								
Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No								
Check here if attachments and describe in the C								
Certifier's Name: ROBERT A PRAETE License Number; SC 17227								
1/2/1/								
Company Name: ATLANTIC SURVEYING, LLC				3	1	1	all a	
Address: 1087 REDI MIX RD, UNIT 1				= 0	41	LV	24	
Title: LAND SURVEYOR Company Name: ATLANTIC SURVEYING, LLC. Address: 1087 REDI MIX RD, UNIT 1 City: LITTLE RIVER State: SC ZIP Code: 29566 Telephone: (843) 399-4260 Ext.: Email: rap17227@yahoo.com								
Telephone: (843) 399-4260								
Signature: Rolet A Rese	to	Date: 01/22	2/2024		Place	Seal	Here	
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.								
Comments (including source of conversion factor in C2; type of equipment and location per C2.e; and description of any attachments): A9: Engineered flood vents (seen in Left View photo) rated for 200 sq. ft. of coverage. See attached document. C2(e): HVAC lowest machinery servicing building (seen in Right View photo).								

Building Street Address (including Apt., Unit, Su	ite, and/or Bld	lg. No.) c	or P.O. Route and Bo	x No.:	FOR INSURANCE COMPANY USE		
4840 WILLIAMS ISLAND DRIVE City: LITTLE RIVER	Ctata	SC	71D Code: 20566		Policy Number:		
City. LITTLE RIVER	State:	30	ZIP Code: 29566	3	Company NAIC Number:		
SECTION E – BUILDING MEASUREMENT INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOUT BFE)							
For Zones AO, AR/AO, and A (without BFE), complete Items E1–E5. For Items E1–E4, use natural grade, if available. If the Certificate is intended to support a Letter of Map Change request, complete Sections A, B, and C. Check the measurement used. In Puerto Rico only, enter meters.							
Building measurements are based on: Construction Drawings* Building Under Construction* Finished Construction *A new Elevation Certificate will be required when construction of the building is complete.							
E1. Provide measurements (C.2.a in applicate measurement is above or below the nature	ole Building Di ral HAG and t	iagram) he LAG	for the following and	d check the a	ppropriate boxes to show whether the		
a) Top of bottom floor (including baseme crawlspace, or enclosure) is:	nt,		[feet	meters	above or below the HAG.		
b) Top of bottom floor (including baseme crawlspace, or enclosure) is:	nt,		feet	meters	above or below the LAG.		
E2. For Building Diagrams 6–9 with permane next higher floor (C2.b in applicable	nt flood openi	ings pro	vided in Section A It	ems 8 and/or	9 (see pages 1-2 of Instructions), the		
Building Diagram) of the building is:			[feet	meters	above or below the HAG.		
E3. Attached garage (top of slab) is:			feet	meters	above or below the HAG.		
E4. Top of platform of machinery and/or equiposervicing the building is:	oment		[feet	meters	above or below the HAG.		
E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown The local official must certify this information in Section G.							
SECTION F - PROPERTY OWN	IER (OR OV	NNER'S	S AUTHORIZED R	REPRESEN	TATIVE) CERTIFICATION		
The property owner or owner's authorized rep sign here. The statements in Sections A, B, ar	resentative w	ho comp	oletes Sections A, B	, and E for Zo	one A (without BFE) or Zone AO must		
Check here if attachments and describe in			7	-3-			
Property Owner or Owner's Authorized Repres	sentative Nan	ne:					
Address:							
City:				State:	ZIP Code:		
Telephone: Ext.:	Email:				applied the state of the state		
Signature:		· · · · · · · · · · · · · · · · · · ·	Date:				
Comments:				•			

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:	FOR INSURANCE COMPANY USE								
4840 WILLIAMS ISLAND DRIVE	Policy Number:								
City: LITTLE RIVER State: SC ZIP Code: 29566	Company NAIC Number:								
SECTION G COMMUNITY INFORMATION (RECOMMENDED FOR COMMUNITY OFFICIAL COMPLETION)									
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Section A, B, C, E, G, or H of this Elevation Certificate. Complete the applicable item(s) and sign below when:									
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by state law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)									
G2.a. A local official completed Section E for a building located in Zone A (without a BFE), Zone AO, or Zone AR/AO, or when item E5 is completed for a building located in Zone AO.									
G2.b. A local official completed Section H for insurance purposes.									
G3. In the Comments area of Section G, the local official describes specific corrections to th	e information in Sections A, B, E and H.								
G4. The following information (Items G5–G11) is provided for community floodplain manage	ment purposes.								
G5. Permit Number: 141864 G6. Date Permit Issued: 12/28/202	22								
G7. Date Certificate of Compliance/Occupancy Issued:									
G8. This permit has been issued for: New Construction Substantial Improvement									
G9.a. Elevation of as-built lowest floor (including basement) of the building:	meters Datum:								
G9.b. Elevation of bottom of as-built lowest horizontal structural									
member: [_] feet	meters Datum:								
G10.a. BFE (or depth in Zone AO) of flooding at the building site:	meters Datum:								
G10.b. Community's minimum elevation (or depth in Zone AO) requirement for the lowest floor or lowest horizontal structural									
member: feet	meters Datum:								
G11. Variance issued? Yes No If yes, attach documentation and describe in the Cor	nments area.								
The local official who provides information in Section G must sign here. I have completed the information in Section G and certify that it is correct to the best of my knowledge. If applicable, I have also provided specific corrections in the Comments area of this section.									
Local Official's Name: Lauren Harrelson, CFM Title: Flood	Hazard Reduction Control Officer								
NFIP Community Name:	1								
Telephone: Ext.: Email:									
Address:									
City: State:	ZIP Code:								
Signature: Lauren Harrelson Date: 01/22/202	24								
Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in Sections A, B, D, E, or H): Sections E, F, & G have been left blank by the Surveyor.									
A8 C-F SHOULD BE N/A. A9 B SHOULD BE YES. B4 45051 C0 606. B 13 SHOULD BE NO. C2 VERTICAL DATUM NAVD 1988.									

Building Street Address (including Apt., Unit,	Suite, and/or Bldg. No.)	or P.O. Route and Box No.:	F	OR INSURANCE COMPANY USE
4840 WILLIAMS ISLAND DRIVE City: LITTLE RIVER	State: SC	ZIP Code: 29566	- Po	olicy Number:
	otate	211 0000. 20000	— c	ompany NAIC Number:
		OR HEIGHT INFORMATION OR INSURANCE PURPO		
The property owner, owner's authorized rep to determine the building's first floor height in nearest tenth of a foot (nearest tenth of a ministructions) and the appropriate Building	or insurance purposes eter in Puerto Rico). <i>R</i>	S. Sections A, B, and I must a Reference the Foundation T	lso be co vpe Diac	ompleted. Enter heights to the grams (at the end of Section H
H1. Provide the height of the top of the floo	r (as indicated in Four	ndation Type Diagrams) abov	e the Lo	west Adjacent Grade (LAG):
 a) For Building Diagrams 1A, 1B, 3, floor (include above-grade floors only for crawlspaces or enclosure floors) is: 		m 6.2	m	neters 🔀 above the LAG
 b) For Building Diagrams 2A, 2B, 4, higher floor (i.e., the floor above basem enclosure floor) is: 		[feet	m	neters
H2. Is all Machinery and Equipment serviced H2 arrow (shown in the Foundation Type Yes ☐ No	ng the building (as list se Diagrams at end of	ed in Item H2 instructions) ele Section H instructions) for the	evated to e approp	o or above the floor indicated by the oriate Building Diagram?
SECTION I - PROPERTY OW	NER (OR OWNER	S AUTHORIZED REPRES	SENTA	TIVE) CERTIFICATION
The property owner or owner's authorized ru A, B, and H are correct to the best of my kn indicate in Item G2.b and sign Section G.	epresentative who con owledge. Note: If the I	npletes Sections A, B, and H ocal floodplain management	must sig official c	in here. The statements in Sections ompleted Section H, they should
☐ Check here if attachments are provided	(including required ph	otos) and describe each attac	hment in	n the Comments area.
Property Owner or Owner's Authorized Rep	resentative Name: At	lantic Surveying, LLC. / Ro	bert A.	Praete
Address: 1087 Redi Mix Rd. Unit 1				Total Control of the
City: Little River		State:	SC	ZIP Code: 29566
Telephone: (843) 399-4260 Ext.	Email: rap17	227@yahoo.com		
Signature: Robert A Pra	eto	Date: 01/22/202	4	
Comments:				

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 BUILDING PHOTOGRAPHS

See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:			FOR INSURANCE COMPANY USE		
4840 WILLIAMS ISLAND DRIVE City: LITTLE RIVER	State:	SC	ZIP Code:	29566	Policy Number: Company NAIC Number:

Instructions: Insert below at least two and when possible four photographs showing each side of the building (for example, may only be able to take front and back pictures of townhouses/rowhouses). Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." Photographs must show the foundation. When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo One

Photo One Caption: Front View (Photo taken 1-17-2024)

Clear Photo One



Photo Two

Photo Two Caption: Left View (Photo taken 1-17-2024)

Clear Photo Two

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 BUILDING PHOTOGRAPHS

Continuation Page

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:				FOR INSURANCE COMPANY USE	
4840 WILLIAMS ISLAND DRIVE City: LITTLE RIVER	State: _	SC	ZIP Code: 2	29566	Policy Number:

Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo Three

Photo Three Caption: Rear View (Photo taken 1-17-2024)

Clear Photo Three



Photo Four

Photo Four Caption: Right View (Photo taken 1-17-2024)

Clear Photo Four



ICC-ES Evaluation Report

ESR-2074 CBC and CRC Supplement

Reissued February 2023

This report is subject to renewal February 2025.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43-Vents/Foundation Flood Vents

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570: #1540-574: #1540-524: #1540-514 FLOOD VENT SEALING KIT #1540-526

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that Smart Vent® Automatic Foundation Flood Vents, described in ICC-ES evaluation report ESR-2074, have also been evaluated for compliance with codes noted below.

Applicable code editions:

2019 California Building Code (CBC)

For evaluation of applicable chapters adopted by the California Office of Statewide Health Planning and Development (OSHPD) AKA: California Department of Health Care Access and Information (HCAI) and the Division of State Architect (DSA), see Sections 2.1.1 and 2.1.2 below.

2019 California Residential Code (CRC)

2.0 CONCLUSIONS

2.1 CBC:

The Smart Vent® Automatic Foundation Flood Vents, described in Sections 2.0 through 7.0 of the evaluation report ESR-2074, comply with 2019 CBC Chapter 12, provided the design and installation are in accordance with the 2018 International Building Code® (IBC) provisions noted in the evaluation report and the additional requirements of CBC Chapters 12 and 16, as applicable.

2.1.1 OSHPD:

The applicable OSHPD Sections and Chapters of the CBC are beyond the scope of this supplement.

2.1.2 DSA:

The applicable DSA Sections and Chapters of the CBC are beyond the scope of this supplement.

The Smart Vent® Automatic Foundation Flood Vents, described in Sections 2.0 through 7.0 of the evaluation report ESR-2074. comply with the 2019 CRC, provided the design and installation are in accordance with the 2018 International Residential Code® (IRC) provisions noted in the evaluation report.

This supplement expires concurrently with the evaluation report, reissued February 2023.





ICC-ES Evaluation Report

ESR-2074 FBC Supplement

Reissued February 2023

This report is subject to renewal February 2025.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00-OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514 FLOOD VENT SEALING KIT #1540-526

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that Smart Vent® Automatic Foundation Flood Vents, described in ICC-ES evaluation report ESR-2074, have also been evaluated for compliance with the codes noted below.

Applicable code editions:

- 2020 Florida Building Code—Building
- 2020 Florida Building Code—Residential

2.0 CONCLUSIONS

The Smart Vent® Automatic Foundation Flood Vents, described in Sections 2.0 through 7.0 of the evaluation report ESR-2074, comply with the Florida Building Code-Building and the Florida Building Code-Residential, provided the design requirements are determined in accordance with the Florida Building Code-Building or the Florida Building Code-Residential, as applicable. The installation requirements noted in ICC-ES evaluation report ESR-2074 for 2018 International Building Code® meet the requirements of the Florida Building Code-Building or the Florida Building Code-Residential, as applicable.


Use of the Smart Vent® Automatic Foundation Flood Vents has also been found to be in compliance with the High-Velocity Hurricane Zone provisions of the Florida Building Code-Building and the Florida Building Code-Residential.


For products falling under Florida Rule 61G20-3, verification that the report holder's quality assurance program is audited by a quality assurance entity approved by the Florida Building Commission for the type of inspections being conducted is the responsibility of an approved validation entity (or the code official when the report holder does not possess an approval by the Commission).

This supplement expires concurrently with the evaluation report, reissued February 2023.



DETAIL DIAGRAM MODEL 1540-570 145" NOOD WALL INSLATED







SMART VENT FOUNDATION FLOOD VENTS 430 ANDERO DR., UNIT 1 PITMAN NJ 08071

14.5" WOOD WALL INSULATED MODEL 1540-570

REV

SIZE 1986 ND. 1540-570

DATE. 6-21-16 SHEET 1 OF 2



INSTALLATION INSTRUCTIONS & DETAILS MODEL 1540-570 14.5" WOOD WALL INSULATED REV. 6-21-16

INSTALLATION INSTRUCTIONS (SEE DIAGRAM ON BACK PAGE 1 OF 2)

- 1. FOR EACH VENT CUT A CLEAN, SQUARE, AND LEVEL 14 1/2"X 8 3/4" OPENING IN THE OUTSIDE SHEATHING, ENSURE THAT THE BOTTOM OF THE OPENING IS NO MORE THAN 12" ABOVE THE OUTSIDE FINAL GRADE.
- REMOVE VENT DOOR FROM VENT FRAME. (TURN UPSIDE DOWN, ROTATE BOTTOM OF DOOR OUTWARD AND SLIDE OUT OF FRAME SLOTS)
 POSITION THE VENT FRAME IN THE OPENING WITH SERIAL NUMBER LABEL ON THE BOTTOM AND ENSURE THAT IT IS SQUARE AND LEVEL. APPLY A SMALL BEAD OF HURRIBOND GRIP & SEAL OR EQUIVALENT ADHESIVE BEHIND THE VENT FRONT FRAME AS SHOWN IN THE DIAGRAM.
- USE 4 EACH FLATHEAD STAINLESS STEEL SCREWS TO SECURE THE FRAME THROUGH THE SHEATHING AND INTO THE STRUCTURAL MEMBER. NOTE: THIS MODEL DOES NOT CONTAIN STRAPS.
- INSTALL THE DOOR BY INSERTING THE SIDE PINS INTO THE TRACKS AT THE SIDES OF THE VENT FRAME. ENSURE THE BLACK FLOAT PINS ARE FACING DOWNWARD.
- LET THE BOTTOM OF THE VENT DOOR GO SO THAT IT ROTATES DOWN INTO THE VENT FRAME. CHECK THAT VENT DOOR IS LATCHED ON BOTH SIDES.
- TO OPEN THE DOOR INSERT 2 CREDIT CARDS INTO THE FLOAT SLOTS AS SHOWN IN THE DIAGRAM.
- THE OUTSIDE FLANGE AND SCREWS CAN BE COVERED WITH "J" CHANNEL OR ANY SURFACE TREATMENT LIKE BRICK OR STONE. USE CAUTION DO NOT APPLY ANY COVERING THAT WILL IMPEDE THE MOVEMENT OF THE VENT DOOR IN ANY DIRECTION.

DETAIL SPECIFICATIONS: MATERIAL: STAINLESS STEEL OPERATION: AUTOMATIC NON-POWERED ACTIVATION AND OPERATION VENT REMAINS CLOSED AND LOCKED UNTIL ACTIVATED INSTALLATION:

SECURED W/ 4 STAINLESS STEEL FLATHEAD SCREWS NOTE: THIS MODEL DOES NOT CONTAIN STRAPS

HYDROSTATIC RELIEF: 200 SQ. FT PER VENT REQUIREMENTS: MINIMUM OF 2 VENTS PER ENCLOSED AREA MOUNTED ON OPPOSITE OR ADJACENT WALLS COLORS: STAINLESS STEEL (STANDARD) WHITE, WHEAT, GRAY, AND BLACK (AVAILABLE)

> MEETS THE REQUIREMENTS FOR ENGINEERED OPENINGS AS SET FORTH BY: FEMA, NFIP, ICC, & ASCE SUPPORTIVE DOCUMENTS, TB 1-08, 44CFR 60.3(C)(5), ASCE 24-14 ICC EVALUATION # ESR-2074