## .S. DEPARTMENT OF HOMELAND SECURITY National Flood Insurance Program

**ELEVATION CERTIFICATE** 

FEDERAL EMERGENCY MANAGEMENT AGENCY

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

SECTIO	FOR INSURANCE COMPANY USE					
A1. Building Owner's Name Crosbie Group Myrtle Bea	Palicy Number:					
A2. Building Street Address (Including Apt., Unit, Suite, and/o 188 Dowenbury Drive		Company NAIC Number:				
City Myrtle Beach	State SC	ZIP Code 29588				
A3. Property Description (Lot and Block Numbers, Tax Parcel Horry County TMS# 190-38-01-113, Lot #113, So	mmerset Cove Ph. II					
A4. Building Use (e.g., Residential, Non-Residential, Addition, A5. Latitude/Longitude: Lat. 33d37'24"  A6. Attach at least 2 photographs of the building if the Certifi A7. Building Diagram Number 1B.  A8. For a building with a crawlspace or enclosure(s):	Long, 79d01'53" Hori cate is being used to obtain flood insurance.	izontal Datum: NAD 1927 NAD 1983				
a) Square footage of crawlspace or enclosure(s)		ge of attached garage 507 sq ft				
<ul><li>b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade</li><li>c) Total net area of flood openings in A8.b</li></ul>	within 1.0 foo	rmanent flood openings in the attached garage it above adjacent grade NA sq in sq in				
d) Engineered flood openings?	d) Engineered flo	ood openings?				
	INSURANCE RATE MAP (FIRM) INFOR					
B1. NFIP Community Name & Community Number Horry County 450104	B2. County Name Horry County	B3. State SC				
B4. Map/Panel Number B5. Suffix B6. FIRM Index D	Revised Date	B9. Base Flood Elevation(s) (Zone A0, use base flood depth)  E 23				
H 09/17/2003 B10. Indicate the source of the Base Flood Elevation (BFE) date	a or base flood depth entered in Item B9:					
☐ FIS Profile ☐ FIRM ☐ Community Determined	☑ Other/Source: LOMR - 04-04-203P-12  NGVD 1929    □ NAVD 1988  □ Other/ Stem (CBRS) area or Otherwise Protected Area (	/Source:				
SECTION C - BUILDING	G ELEVATION INFORMATION (SURVEY F					
C1. Building elevations are based on: Construction Drawings* Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.						
*A new Elevation Certificate will be required when constr	uction of the building is complete.	_				
*A new Elevation Certificate will be required when constr C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1- C2.a-h below according to the building diagram specified	uction of the building is complete. -V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A3	O, AR/AH, AR/AO. Complete Items				
*A new Elevation Certificate will be required when constr C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-	uction of the building is complete.  -V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A3 in Item A7. In Puerto Rico only, enter meters.  Vertical Datum: NGVD 1929  s a) through h) below. NGVD 1929 NAVE	O, AR/AH, AR/AO. Complete Items O 1988				
*A new Elevation Certificate will be required when constr C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1– C2.a–h below according to the building diagram specified Benchmark Utilized: 26 202 Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace,	uction of the building is complete.  -V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A3 in Item A7. In Puerto Rico only, enter meters.  Vertical Datum: NGVD 1929  s a) through h) below. NGVD 1929 NAVE that used for the BFE.  Chec	O, AR/AH, AR/AO. Complete Items				
*A new Elevation Certificate will be required when constr C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1– C2.a–h below according to the building diagram specified Benchmark Utilized: 26 202 Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as	uction of the building is complete.  -V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A3 d in Item A7. In Puerto Rico only, enter meters.  Vertical Datum: NGVD 1929 S a) through h) below. NGVD 1929 NAVE that used for the BFE.  Or enclosure floor)  NA  Zones only)	O, AR/AH, AR/AO. Complete Items  1988    Other/Source:  Ok the measurement used.  I feet    meters  I feet    meters  I feet    meters  I feet    meters				
*A new Elevation Certificate will be required when constr C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- C2.a–h below according to the building diagram specified Benchmark Utilized: 26 202 Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing	uction of the building is complete.  -V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A3 d in Item A7. In Puerto Rico only, enter meters.  Vertical Datum: NGVD 1929  s a) through h) below. NGVD 1929  NAVD that used for the BFE.  Or enclosure floor)  Z4. 50  NA  Zones only)  (the building  Vertical Datum: NGVD 1929  NAVD 192	O 1988  Other/Source:  Ok the measurement used.  I feet  meters  meters				
*A new Elevation Certificate will be required when constr C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- C2.a–h below according to the building diagram specified Benchmark Utilized: 26 202 Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commen f) Lowest adjacent (finished) grade next to building (LAG	uction of the building is complete.  -V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A3 d in Item A7. In Puerto Rico only, enter meters.  Vertical Datum: NGVD 1929 NAVD is that used for the BFE.  or enclosure floor) 24 50 NA  Zones only) AR  (the building ts) 22 5	O, AR/AH, AR/AO. Complete Items  O 1988  Other/Source:  Ok the measurement used.  Keet  meters  feet  meters  feet  meters  feet  meters  Feet  meters  Feet  meters  Feet  meters  Feet meters  Feet meters				
*A new Elevation Certificate will be required when constr C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1– C2.a–h below according to the building diagram specified Benchmark Utilized: 26 202 Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commen	uction of the building is complete.  -V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A3 d in Item A7. In Puerto Rico only, enter meters.  Vertical Datum: NGVD 1929 NAVD is that used for the BFE.  or enclosure floor) 24 . 50  NA	O, AR/AH, AR/AO. Complete Items  O 1988    Other/Source:				
*A new Elevation Certificate will be required when constr.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–C2.a–h below according to the building diagram specified Benchmark Utilized: 26 202  Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commen f) Lowest adjacent (finished) grade next to building (LAG g) Highest adjacent grade at lowest elevation of deck or structural support	uction of the building is complete.  -V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A3 in Item A7. In Puerto Rico only, enter meters.  Vertical Datum: NGVD 1929 NAVE is a) through h) below. NGVD 1929 NAVE is that used for the BFE.  Or enclosure floor) 24 50 NA  Zones only) NA  Zones only) 24 02  (the building ts)  (the building ts)  32 5  33 7  34 Stairs, including 23 8	O, AR/AH, AR/AO. Complete Items   O 1988   Other/Source:   O 1988   O 1				
*A new Elevation Certificate will be required when constr C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–C2.a—h below according to the building diagram specified Benchmark Utilized: 26 202  Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commen f) Lowest adjacent (finished) grade next to building (LAG g) Highest adjacent grade at lowest elevation of deck or structural support  SECTION D – SURVE	uction of the building is complete.  -V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A3 in Item A7. In Puerto Rico only, enter meters.  Vertical Datum: NGVD 1929  s a) through h) below. NGVD 1929 NAVE that used for the BFE.  or enclosure floor)  Zones only)  (the building ts)  (the building ts)  G)  Stairs, including 23.8   YOR, ENGINEER, OR ARCHITECT CERTIC resents my best efforts to interpret the data available to the start of the s	O, AR/AH, AR/AO. Complete Items  O 1988  Other/Source:  Ok the measurement used.  If feet  meters				
*A new Elevation Certificate will be required when constr  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1– C2.a—h below according to the building diagram specified Benchmark Utilized: 26 202  Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commen f) Lowest adjacent (finished) grade next to building (LAG g) Highest adjacent grade at lowest elevation of deck or structural support  SECTION D – SURVE	uction of the building is complete.  -V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A3 in Item A7. In Puerto Rico only, enter meters.  Vertical Datum: NGVD 1929  s a) through h) below. NGVD 1929 NAVE that used for the BFE.  or enclosure floor)  Zones only)  (the building ts)  (the building ts)  G)  Stairs, including 23.8   YOR, ENGINEER, OR ARCHITECT CERTIC resents my best efforts to interpret the data available to the start of the s	O, AR/AH, AR/AO. Complete Items  O 1988    Other/Source:				
*A new Elevation Certificate will be required when constr C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–C2.a–h below according to the building diagram specified Benchmark Utilized: 26 202 Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commen f) Lowest adjacent (finished) grade next to building (LAG g) Highest adjacent (finished) grade next to building (HAh) Lowest adjacent grade at lowest elevation of deck or structural support  SECTION D – SURVE  This certification is to be signed and sealed by a land surveyor information. I certify that the information on this Certificate repril understand that any false statement may be punishable by fine.	uction of the building is complete.  -V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A3 in Item A7. In Puerto Rico only, enter meters.  Vertical Datum: NGVD 1929 NAVE is a) through h) below. NGVD 1929 NAVE is that used for the BFE.  Or enclosure floor) 24 50 NA  Zones only) NA  Zones only) 24 02  (the building 24 06  stairs, including 23 8  VOR, ENGINEER, OR ARCHITECT CERTIC resents my best efforts to interpret the data available or imprisonment under 18 U.S. Code, Section 1  Were latitude and longitude in Section A provid	O, AR/AH, AR/AO. Complete Items  O 1988    Other/Source:				
*A new Elevation Certificate will be required when constr C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–C2.a–h below according to the building diagram specified Benchmark Utilized: 26 202 Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commen f) Lowest adjacent (finished) grade next to building (LAG g) Highest adjacent (finished) grade next to building (HAh) Lowest adjacent grade at lowest elevation of deck or structural support  SECTION D – SURVE This certification is to be signed and sealed by a land surveyor information. I certify that the information on this Certificate reprint understand that any false statement may be punishable by fine Check here if comments are provided on back of form.  Certifier's Name	uction of the building is complete.  -V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A3 in Item A7. In Puerto Rico only, enter meters.  Vertical Datum: NGVD 1929 NAVE is a) through h) below. NGVD 1929 NAVE is that used for the BFE.  Or enclosure floor) 24 50 NA  Zones only) NA  Zones only) 24 02  (the building 24 06 Stairs, including 23 8  VOR, ENGINEER, OR ARCHITECT CERTING, engineer, or architect authorized by law to certificesents my best efforts to interpret the data available or imprisonment under 18 U.S. Code, Section 1  Were latitude and longitude in Section A provid licensed land surveyor? Yes No    Company Name   Solan Associates, P.C.	O, AR/AH, AR/AO. Complete Items  O 1988  Other/Source:  Ok the measurement used.  If feet  meters				
*A new Elevation Certificate will be required when constr C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–C2.a—h below according to the building diagram specified Benchmark Utilized: 26 202  Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commen f) Lowest adjacent (finished) grade next to building (LAG g) Highest adjacent (finished) grade next to building (HAA h) Lowest adjacent grade at lowest elevation of deck or structural support  SECTION D – SURVE  This certification is to be signed and sealed by a land surveyor information. I certify that the information on this Certificate repring understand that any false statement may be punishable by fine Check here if comments are provided on back of form.  Certifier's Name Jeffrey D. Solan  Titte	uction of the building is complete.  -V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A3 d in Item A7. In Puerto Rico only, enter meters.  Vertical Datum: NGVD 1929 NAVE as a) through h) below. NGVD 1929 NAVE as that used for the BFE.  Or enclosure floor)  Zones only)  A	O, AR/AH, AR/AO. Complete Items  O 1988    Other/Source:				

## ELEVATION CERTIFICATE, page 2

Building Street Address (including Apt., Unit. Suite, anc/or Bidg. No.) or RO. Route and Box No.  188 Dowenbury Drive  City State ZIP Code 29588  SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)  Copy both sides of this Elevation Certificate for (1) community official. (2) insurance agent/company, and (3) building owner.  Comments Lowest elevation of machinery is HVAC unit servicing the building.  Signature  Date 06/27/2013  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and / without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMRF request, complete Sections A. B. and fit lems E1–E4, use natural grade. If available. Check the measurement used. In Puerto Rico only, enter meters.  E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG), a) Top of bottom floor (including basement, crawlspace, or enclosure) is	IMPORTANT: In these spaces, copy the corresponding information from Section A.					FOR INSURANCE COMPANY USE			
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)  SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)  Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.  Comments   Downest elevation of machinery is HVAC unit servicing the building.  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE).  For Zones AO and Sylveshou BFE), complete terms EL-ES, if the Certificate is interned to support a LOMA or LOWIFF request, complete Sections A, B, and for Items EL-EA, is analural grade. It available. Check the measurement used. In Puerto Risco owl, return reterms.  EL, Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent, grade (HAG), and the lowest adjacent grade (HAG), and the lowest adjacent grade (LAG), and to or bottom floor (including beament, crawkspace, or enclosure) is						111			
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)  Copy both sides of this Elevation Certificate for (1) community official. (2) insurance agent/company, and (3) building owner.  Comments  Lowest elevation of machinery is HVAC unit servicing the building.  Date 06/27/2013  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and 3/ (willbook IBFE), complete terms £1-£5. If the Certificate is intended to support a LOMA or LOMMF Features, complete Sections A. 8, and for states £1-£6, standard glade, if valuables, Check the measurement used. The Lord Insures only enter metres.  Eth Provide developin information for the following and check the appropriate boxes to show whether the elevation is above or below the IMFG, at 10 lbg of bottom floor (including basement, crawlapsec, or enclosure) is			710 o /		<u> </u>	NIIO W			
Signature					Company	y NAIC Number:			
Section E - BullDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) for Zone AO and \$\frac{1}{2}\$ (value) and \$\fr				<u></u>		ED)			
Date O6/27/2013  Signature Date O6/27/2013  Date O6/27/2013  Section E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) To Zone AO and Yewhore PSE, complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMAF request, complete Sections A, B, and for items E1-E4, use natural grade, if washable, Chart the measurement used, in Puerra Rico only, error melers.  1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (RAG) and the lowest grade (RAG) and the lowest grade grade (RAG) and the lowest grade grade (RAG) and the lowest grade grade grade (RAG) and the lowest grade grade grade (RAG) and the RAG) in the diagrams of which lands are lowest grade		r (1) community official, (2) ins	urance agent/comp	any, and (3) buildin	g owner.				
SECTION E — BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE).  For Zones AO and #/without BFE), complete lems £1-£5. If the Certificate is intended to support a LOMA or LOMRF request, complete Sections A, B, and for items £1-£4, use natural garde, if variable herosche the measurement used. In Puter Ricco Jav, enter meters.  £1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (1A6).  a) Top of bottom floor (including basement, crawispace, or enclosure) is	Comments Lowest elevation of machinery	is HVAC unit servicing the	building.						
For Zones AO and y (without BFE), complete Items EL-ES. If the Certificate is intended to support a LOMA or LOMRF request, complete Sections A, B, and For Items EL-E4, Use natural grade, if available. Check the measurement used. In Puetro Rico only, enter meters.  E. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (IAG) and the lowest adjacent grade (IAG).  B) Top of bottom floor (including basement, crawispace, or enclosure) is	Signature / ///		Date 06/27/2	013	•				
For items E1—E4, úse natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.  1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawspace, or enclosure) is	SECTION E - BUILDING ELEVATION	N INFORMATION (SURVE)	NOT REQUIRED	) FOR ZONE AC	AND Z	ONE A (WITHOUT BFE)			
E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (LAG); and the lowest grade (LAG); th	For Zones AO and A (without BFE), complete Ite	ems E1–E5. If the Certificate is	intended to suppor	t a LOMA or LOMR	F reques	, complete Sections A, B,and C.			
grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawkspace, or enclosure) is	•			-					
b) Top of bottom floor (including basement, crawlspace, or enclosure) is			boxes to show whet	ther the elevation is	s above o	r below the highest adjacent			
E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions); the next higher floor (elevation C2.b in the diagrams) of the building is	a) Top of bottom floor (including basement	, crawlspace, or enclosure) is							
the next higher floor (elevation C2.b in the diagrams) of the building is	· · ·								
E3. Attached garage (top of slab) is		· · · · · · · · · · · · · · · · · · ·	ction A Items 8 and,	· · · · ·		<u> </u>			
E4. Top of platform of machinery and/or equipment servicing the building is   det   meters   above or   below the HAG.  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?   Yes   No   Unknown. The local official must certify this information in Section G.  SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.  Property Owner or Owner's Authorized Representative's Name  Address   City   State   ZIP Code  Signature   Date   Telephone  Comments  SECTION G - COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), a G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter mete G1.   The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or archite who is authorized by law to certify elevation information, (Indicate the source and date of the elevation data in the Comments area below).  G2.   A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  G3.   This permit has been issued for:   New Construction   Substantial improvement   G6. Date Certificate Of Compliance/Occupancy Issued   G7. This permit has been issued for:   New Construction   Substantial improvement   G7. This permit has been issued for:   New Construction   Substantial improvement   G7. This permit has been issued for:   New Construction   Substantial improvement   G7. This permit has been issued	· · · · · · · · · · · · · · · · · · ·	diagrams) of the building is	<del></del>	= =	_				
E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?									
SECTION F – PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION  The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name  Address				_					
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.  Property Owner or Owner's Authorized Representative's Name  Address  City  State  ZIP Code  Signature  Date  Telephone  Comments  SECTION G - COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), a G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items 68–610. In Puerto Rico only, enter mete G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or archite who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  G3. The following information (Items 64–69) is provided for community floodplain management purposes.  G4. Permit Number  G5. Date Permit Issued  G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for: New Construction Substantial Improvement  G8. Elevation of as-built lowest floor (including basement) of the building: meters Datum  G9. BFE or (in Zone AO) depth of flooding at the building site: meters Datum  G9. BFE or (in Zone AO) depth of flooding at the building site: meters Datum  Fittle  Community Name  Title  Community Name					ie commu	mity's iroooptain management			
Zone AÖ must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.  Property Owner or Owner's Authorized Representative's Name  Address City State ZIP Code  Signature Date Telephone  Comments    Check here if attachments	SECTION F - P	ROPERTY OWNER (OR O)	WNER'S REPRES	ENTATIVE) CER	TIFICAT	ION			
Address City State ZIP Code  Signature Date Telephone  Comments    Check here if attachments   Check here if attachments					FEMA-issu	ed or community-issued BFE) or			
Signature  Date Telephone  Comments  Check here if attachments  SECTION G - COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), a for this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items 68–G10. In Puerto Rico only, enter mete G1.   The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or archite who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  G2.   A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  G3.   The following information (Items G4–G9) is provided for community floodplain management purposes.  G4. Permit Number   G5. Date Permit Issued   G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for:   New Construction   Substantial Improvement   G8. Elevation of as-built lowest floor (including basement) of the building:	Property Owner or Owner's Authorized Represe	entative's Name	-	<del>-</del>					
SECTION G - COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), a G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter mete G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or archite who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  G3. The following information (Items G4–G9) is provided for community floodplain management purposes.  G4. Permit Number G5. Date Permit Issued G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for: New Construction Substantial Improvement  G8. Elevation of as-built lowest floor (including basement) of the building: feet meters Datum  G9. BFE or (in Zone AO) depth of flooding at the building site: feet meters Datum  G10. Community's design flood elevation:  Local Official's Name  Title  Community Name  Telephone  Signature  Date	Address	·	City	St	ate	ZIP Code			
SECTION G - COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), a G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter meter who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  G3. The following information (Items G4-G9) is provided for community floodplain management purposes.  G4. Permit Number  G5. Date Permit Issued  G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for: New Construction Substantial Improvement  G8. Elevation of as-built lowest floor (including basement) of the building: feet meters Datum  G9. BFE or (in Zone AO) depth of flooding at the building site: feet meters Datum  G10. Community's design flood elevation:  Local Official's Name  Title  Community Name  Telephone  Signature  Date	Signature		Date	Te	elephone				
SECTION G - COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), a G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter measurement in Items G8-G10. In Puerto Rico only, enter measurement used in Items G8-G10. In Puerto Rico only, enter measurement used in Items G8-G10. In Puerto Rico only, enter measurement used in Items G8-G10. In Puerto Rico only, enter measurement used in Items G8-G10. In Puerto Rico only, enter measurement used in Items G8-G10. In Puerto Rico only, enter measurement of the elevation data in the Comments area below.)  G2.	Comments								
SECTION G — COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), a G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8—G10. In Puerto Rico only, enter measurement in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or archite who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  G3. The following information (Items G4—G9) is provided for community floodplain management purposes.  G4. Permit Number  G5. Date Permit Issued  G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for: New Construction Substantial Improvement  G8. Elevation of as-built lowest floor (including basement) of the building: Get meters Datum  G9. BFE or (in Zone AO) depth of flooding at the building site: G10. Community's design flood elevation:  Title  Community Name  Title  Community Name  Telephone  Signature  Date									
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), a G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter mete G1.    The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or archite who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  G2.    A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  G3.    The following information (Items G4–G9) is provided for community floodplain management purposes.  G4. Permit Number    G5. Date Permit Issued    G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for:    New Construction    Substantial Improvement  G8. Elevation of as-built lowest floor (including basement) of the building:    G9. BFE or (in Zone AO) depth of flooding at the building site:    G10. Community's design flood elevation:    Local Official's Name    Title  Community Name    Telephone  Signature    Date						☐ Check here if attachments.			
G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meter G1.   The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or archite who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  G2.   A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  G3.   The following information (Items G4–G9) is provided for community floodplain management purposes.  G4. Permit Number   G5. Date Permit Issued   G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for:   New Construction   Substantial Improvement  G8. Elevation of as-built lowest floor (including basement) of the building:   feet   meters Datum    G9. BFE or (in Zone AO) depth of flooding at the building site:   feet   meters Datum    G10. Community's design flood elevation:   Title  Community Name   Title  Community Name   Telephone		SECTION G - COMMUNIT	Y INFORMATION	(OPTIONAL)					
G1.  The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or archite who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  G3.  The following information (Items G4–G9) is provided for community floodplain management purposes.  G4. Permit Number	The local official who is authorized by law or ord	linance to administer the comm	unity's floodplain ma	nagement ordinance	e can com	plete Sections A, B, C (or E), and			
G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.  G4. Permit Number									
G3. The following information (Items G4-G9) is provided for community floodplain management purposes.  G4. Permit Number  G5. Date Permit Issued  G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for: New Construction Substantial Improvement  G8. Elevation of as-built lowest floor (including basement) of the building: feet meters Datum  G9. BFE or (in Zone AO) depth of flooding at the building site: feet meters Datum  G10. Community's design flood elevation: feet meters Datum  Local Official's Name  Title  Community Name  Telephone  Signature  Date		·							
G5. Date Permit Issued G6. Date Certificate Of Compliance/Occupancy Issued G7. This permit has been issued for: New Construction Substantial Improvement G8. Elevation of as-built lowest floor (including basement) of the building: G9. BFE or (in Zone AO) depth of flooding at the building site: G10.Community's design flood elevation: Feet meters Datum  Local Official's Name Title Community Name Telephone Signature Date		<u>-</u>	•		unity-issu	ed BFE) or Zone AO.			
G7. This permit has been issued for: New Construction Substantial Improvement G8. Elevation of as-built lowest floor (including basement) of the building: G9. BFE or (in Zone AO) depth of flooding at the building site: G10. Community's design flood elevation: Feet meters Datum  Local Official's Name Title  Community Name Telephone  Signature Date	G3.   The following information (items G4-	-69) is provided for community							
G8. Elevation of as-built lowest floor (including basement) of the building: feet	G4. Permit Number	G5. Date Permit Issued	G6:	Date Certificate O	f Complia	nce/Occupancy Issued			
G9. BFE or (in Zone A0) depth of flooding at the building site:	G7. This permit has been issued for:	lew Construction	ntial Improvement						
G10. Community's design flood elevation:	G8. Elevation of as-built lowest floor (includin	ig basement) of the building:	·	☐ feet ☐ met					
Local Official's Name Title  Community Name Telephone  Signature Date	G9. BFE or (in Zone AO) depth of flooding at t	the building site:	·		ers Da	tum			
Community Name Telephone Signature Date	G10.Community's design flood elevation:		·	☐ feet ☐ met	ers Da	tum			
Signature Date	Local Official's Name		Title						
	Community Name		Telephone						
Comments	Signature		Date						
	Comments	<u></u>							

 $\square$  Check here if attachments.

## **Horry County Code Enforcement**

1301 2<sup>nd</sup> Ave Suite 1D09 Conway, SC 29526



Phone: (843) 915-5090

(843) 205-5090

Fax: (843) 915-6090

## MEMO OF REVIEW FOR CORRECTNESS AND COMPLETION

In accordance with this community's participation in the National Flood Insurance Program's Community Rating System, all FEMA Elevation Certificates must be correct and complete. The attached Certificate has some incorrect items which are noted here.

<del></del>			SECTION A - PROF	PERTY INFORM	1ATION	For Insurance Company
A1. Building Owner's Name	0	( ,AA	11	1110		Policy Number
A2. Building Street Address		, Suite, and/or Bldg.	No.) or P.O. Route and	Box No.		Company NAIC Number
City State	ZIP Code	c z	9588			
A3. Property Description (Lo	t and Block Numbe	s, Tax Parcel Numbe	er, Legal Description, e	lc.) 113, Som	merset Co	ve Ph. H
A4. Building Use (e.g., Resid A5. Latitude/Longitude: Lat. A6. Attach at least 2 photogr	Longaphs of the building	_		d insurance.	Horizontal Datum:	□ NAD 1927 □ NA
A7. Building Diagram Numb A8. For a building with a cra a) Square footage of cr b) No. of permanent floenclosure(s) walls we c) Total net area of floence.	wi space or enclosur awl space or enclose ood openings in the c ithin 1.0 foot above	re(s) rawl space or	sq ft	a) Squ b) No. wall	nilding with an attache lare footage of attache of permanent flood of is within 1.0 foot above al net area of flood op	ed garage penings in the attached gara re adjacent grade
d) Engineered flood ope		oM <b>₹</b> J a	Market and	1 '	ineered flood opening	
SECTION B - FLOOD INSUR	ANCE RATE MAP (	TRM) INLORMA DO	ON			
B1. NFIP Community Name	& Community Numl	per	B2. County Name			B3. State
B4. Map/Panel Number	B5. Suffix	B6, FIRM Index Date	B7. FIRM Effective/Rev		B8. Flood Zone(s)	B9. Base Flood Elevation use base flood of
FIS Profile  II. Indicate elevation datum to the building located in a yes No Oesignation Date	sed for BFE in Item		OVD 1929 NA' RS) area or Otherwise P	_	Other/Source: DPA)?	
SECTION C - BUILDING ELE	VATION INFORMA	TION (SURVEY REC	QUIRED)			
<ul> <li>E1. Building elevations are baselinished Construction *A new Elevation Certificate Elevations – Zones A1-A30 Complete Items C2.a-h belo Benchmark Utilized </li> </ul>	te will be required w ), AE, AH, A (with I ow according to the	BFE), VE, VI-V30, V ouilding diagram spe	the building is complete V (with BFE), AR, AR/. cified in Item A7.	A, AR/AE, AR/		/AO.
Indicate elevation datum  Other/Source:	used for the elevat	ions in items a) thr	ough h) below. 🔲 N	GVD 1929	] NAVD 1988 🔲	
COMMENTS:	49 Z	complete	<del>-</del>			
Date of Review: 3/4	/2015	Comi	munity Official:	rold E	do	

All elevation certificates shall be maintained by the community and copies with the attached memo made available upon request.