U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

### **ELEVATION CERTIFICATE**

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

	SEC	TION A - PROPERT	Y INFOR	MATION		FOR INSU	IRANCE COMPANY USE
A1. Building Own PATRICK KERR	er's Name					Policy Nur	nber:
A2. Building Stree Box No. 389 SECOND AV		cluding Apt., Unit, Sui	te, and/o	r Bldg. No.) (	or P.O. Route and	Company	NAIC Number:
City MURRELLS I	NLET			State South C	arolina	ZIP Code 29576	
		nd Block Numbers, T RASS HAYES (PIN 47			egal Description, e	tc.)	
A4. Building Use	(e.g., Resider	ntial, Non-Residential,	Addition	, Accessory,	etc.) RESIDE	NTIAL	
A5. Latitude/Long	itude: Lat. 3	3°34'38.6581"N	Long.	79°00'34.435	5"W Horizont	al Datum: NAD	1927 X NAD 1983
A6. Attach at leas	t 2 photograp	hs of the building if th	e Certific	ate is being	used to obtain flo	od insurance.	
A7. Building Diag	ram Number	8					14.15
A8. For a building	with a crawls	space or enclosure(s):					
a) Square for	otage of craw	space or enclosure(s	)		1756.00 sq ft		
b) Number of	permanent flo	ood openings in the c	rawlspac	e or enclosu	re(s) within 1.0 foo	ot above adjacent g	rade 2
c) Total net a	rea of flood o	penings in A8.b		1700.00 sq i	n SEE NOTES		
d) Engineere	d flood openir	ngs? ⊠ Yes □	No				
A9. For a building	with an attack	ned garage:					
A STATE OF THE STA				N/A sq f			
a) Square foo				78(1)			
		ood openings in the a	ttached g			ljacent grade N/A	
c) Total net a	rea of flood o	penings in A9.b	3	N/A so	q in		
d) Engineere	d flood openir	ngs? Yes 🗵	No				
	SI	ECTION B - FLOOD	INSURA	NCE RATE	MAP (FIRM) IN	FORMATION	
B1. NFIP Commu HORRY COUNTY	STATE OF THE PARTY	Community Number		B2. County HORRY	Name		B3. State South Carolina
B4. Map/Panel Number 45051C0734	B5. Suffix	B6. FIRM Index Date	Eff	RM Panel ective/ vised Date	B8. Flood Zone(s)	B9. Base Flood (Zone AO, u	Elevation(s) se Base Flood Depth)
4303100734		09-17-2003	00-23-	1999			
		Base Flood Elevation				d in Item B9:	
☐ FIS Prof	le 🔀 FIRM	Community Dete	mined	Other/So	urce:		
B11. Indicate ele	vation datum (	used for BFE in Item I	39: 🗵 N	IGVD 1929	☐ NAVD 1988	Other/Source	• <u> </u>
B12. Is the building	ng located in a	a Coastal Barrier Res	ources S	ystem (CBR	S) area or Otherw	ise Protected Area	(OPA)? ☐ Yes ☒ No
Designation	7. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		CBRS	□ ОРА			
			of the latest and the				A STATE OF THE PERSON NAMED IN COLUMN

### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 7/14/2 / Expiration Date: November 30, 2022

MPORTANT: In these spaces, copy the correspondence	onding information from Se	ection A.	FOR INSURANCE COM	IPANY USE
Building Street Address (including Apt., Unit, Suite, 389 SECOND AVE. SOUTH	and/or Bldg. No.) or P.O. Ro	ute and Box No.	Policy Number:	BU32
City MURRELLS INLET		Code 576	Company NAIC Number	
SECTION C - BUILDIN	NG ELEVATION INFORMA	TION (SURVEY R	REQUIRED)	
*A new Elevation Certificate will be required v	when construction of the build	The second second		
C2. Elevations – Zones A1–A30, AE, AH, A (with Complete Items C2.a–h below according to the Benchmark Utilized: SCVRS		I in Item A7. In Puer		
Indicate elevation datum used for the elevation				The sale
NGVD 1929    NAVD 1988		ow.		
Datum used for building elevations must be the	-	BFE. REV. 3/30/20	Check the measuren	nent used.
a) Top of bottom floor (including basement, of	crawlspace, or enclosure floo	or)	9.1 × feet	neters
b) Top of the next higher floor		1000	15.0 X feet	neters
c) Bottom of the lowest horizontal structural	member (V Zones only)	4 500 800	N/A  feet m	eters
d) Attached garage (top of slab)	,,		N/A   feet   m	neters
e) Lowest elevation of machinery or equipme (Describe type of equipment and location	ent servicing the building in Comments)	1 - 43	14.5 X feet	neters
f) Lowest adjacent (finished) grade next to b	ouilding (LAG)		8.3 × feet	neters
g) Highest adjacent (finished) grade next to			8.7 X feet ☐ m	neters
h) Lowest adjacent grade at lowest elevation structural support		2.74	N/A   feet   m	neters
SECTION D - SURV	EYOR, ENGINEER, OR AF	CHITECT CERTI	FICATION	
This certification is to be signed and sealed by a I I certify that the information on this Certificate rep statement may be punishable by fine or imprisonr Were latitude and longitude in Section A provided	resents my best efforts to inte ment under 18 U.S. Code, Se	erpret the data avai ection 1001. 	lable. I understand that an	y false
			3, 7 4 1	
Certifier's Name MICHAEL S. CULLER, III	License Number 29114			O. Con III
Title PRESIDENT			Place	
Company Name CULLER LAND SURVEYING III, INC			Seal	1 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Address 1010 5TH AVE NW EXT.			Here	12. 13
SURFSIDE BEACHO HINE TO SUMMER SURFSIDE BEACHO	State South Carolina	ZIP Code 29575	11.	
Signature Signature Signature	Date 07-12-2021	Telephone (843) 238-2333	Ext.	
Copy all pages of this Elevation Certificate and all a	ttachments for (1) community	official, (2) insurance	e agent/company, and (3) b	uilding owner.
Comments (including type of equipment and local ITEM C2-A REFERS TO FLOOR LEVEL OF CRATHIS DWELLING HAS 20 MENTS ABOVE 12" FF MODEL# FV2436, DO2436, 2436CS BELOW 12	AWLSPACE: ITEM C2-E REF ROM GRADE AND 2 ENGIN	FERS TO FLOOR L EERED VENT CRA	EVEL OF HVAC SYSTEM WL SPACE DOOR SYSTE	: NOTE EMS

### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 7/14/2 Expiration Date: November 30, 2022

23374

IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: 389 SECOND AVE. SOUTH State ZIP Code Company NAIC Number MURRELLS INLET South Carolina 29576 SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters above or below the HAG. b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters above or below the LAG. E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1-2 of Instructions). the next higher floor (elevation C2.b in feet meters above or below the HAG. the diagrams) of the building is E3. Attached garage (top of slab) is feet meters above or below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is feet meters above or below the HAG. E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name Address City State ZIP Code Signature Date Telephone Comments Check here if attachments.

### **ELEVATION CERTIFICATE**

0MB No. 1660-0008 7/19/21 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corre			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, States 389 SECOND AVE. SOUTH	uite, and/or Bldg. No.) or F	P.O. Route and Box No.	Policy Number: 703
City MURRELLS INLET	State South Carolina	ZIP Code 29576	Company NAIC Number
SECTIO	ON G - COMMUNITY INF	ORMATION (OPTIONAL	
The local official who is authorized by law or or Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, en G1.  The information in Section C was takengineer, or architect who is authorized the Comments area below.)  G2.  A community official completed Sector Zone AO.  The following information (Items G4-	Certificate. Complete the ter meters.  en from other documentated by law to certify elevation E for a building located	applicable item(s) and sition that has been signed ion information. (Indicate d in Zone A (without a FE	and sealed by a licensed surveyor, the source and date of the elevation  MA-issued or community-issued BFE)
50.			
G4. Permit Number	G5. Date Permit Issued	I G6	. Date Certificate of Compliance/Occupancy Issued
of the building:  G9. BFE or (in Zone AO) depth of flooding at  G10. Community's design flood elevation:			eet  meters Datumeet  meters Datumeet  meters Datumeet  meters Datum
Local Official's Name		ritte	
Community Name		Telephone	
Signature		Date	
Comments (including type of equipment and lo	cation, per C2(e), if applic	cable)	
			☐ Check here if attachments.

#### **BUILDING PHOTOGRAPHS**

OMB No. 1660-0008 Expiration Date: November 30.

**ELEVATION CERTIFICATE** 

See Instructions for Item A6.

FOR INSURANCE COMPANY USE

IMPORTANT: In these spaces, copy the corresponding information from Section A. Building Street Address (including Apt., Unit, Suite, and/or Bldg, No.) or P.O. Route and Box No.

Policy Number:

389 SECOND AVE. SOUTH City

State

ZIP Code

MURRELLS INLET

South Carolina

29576

Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT VIEW (07/12/2021)

Clear Photo One



Photo Two

Photo Two Caption RIGHT SIDE VIEW (07/12/2021) Clear Photo Two

### **BUILDING PHOTOGRAPHS**

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2022

IMPORTANT: In these spaces	FOR INSURANCE COMPANY USE			
Building Street Address (includ 389 SECOND AVE. SOUTH	ing Apt., Unit, Suite, and/or Bldg. No.	) or P.O. Route and Box No.	Policy Number:	BU32
City	State	ZIP Code	Company NAIC Nu	mber

29576

South Carolina

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.




Photo Three

Photo Three Caption REAR VIEW (07/12/2021)

**ELEVATION CERTIFICATE** 

MURRELLS INLET

Clear Photo Three



Photo Four

Photo Four Caption LEFT SIDE VIEW (07/12/2021)

Clear Photo Four

## Certification of Engineered Flood Openings

In accordance with the Code of Federal Regulations for the National Flood Insurance Program

I hereby certify that the Crawl Space Door Systems flood vents 816CS, 1220CS, 1232CS, 1616CS, 1624CS, 1632CS, 2032CS, 2424CS, and 2436CS are designed are designed in accordance with the requirements of the Code of Federal Regulations for the National Flood Insurance Program (NFIP) to provide automatic equalization of hydrostatic flood forces by allowing for the entry and exit of floodwaters, when properly installed and sized as set forth below. Vent opening measurements were measured and certified by Mr. Christopher Mark Loney, Virginia P.E. NO. 029000. Detailed calculations were prepared as outlined in "Review of certification of Engineered Flood Openings," prepared by Dr. Georg Reichard, Associate Professor of Building Construction, Virginia Tech (available upon request from Crawl Space Door Systems, Inc. billy@crawlspacedoors.com)

### **Design Characteristics**

Section 2.6.2.2 of ASCE/SEI 24-05 provides an equation to determine the required net area of engineered openings (Ao) for a given enclosed area (Ae). This equation is based on the hydraulic formula for the flow rate across sharp edged orifices. I have utilized this equation to calculate 1) the restricted flow rate through the main frame opening in case the louver is blown out during a flood event; 2) the flow rate through the individual openings between louver blades; and 3) the flow rate through projected openings between louver blades following hydraulic short-tube theory. The maximum total enclosed area (Ae) that can be serviced by a single vent has then been determined by utilizing the lowest flow rate of the three assessed scenarios for each vent and is listed in Table 1.

These values are based on the following assumptions:

- In absence of reliable data, the rates of rise and fall have been assumed at a minimum rate of 5 feet/hour;
- The (maximum) difference between the exterior and interior floodwater levels shall not exceed 1 foot during base flood conditions;
- A factor of safety of 5 has been assumed, which is consistent with design practices related to protection of life and property;
- The net area of openings (Ao) as provided by the manufacturer.

*)	Model	HxW [in]	A <sub>o</sub> [in²]	A <sub>e</sub> [ft <sup>2</sup> ]
	816CS	8 x 16	105	205
	1220CS	12 x 20	235	500
	1232CS	12 x 32	305	645
	1616CS	16 x 16	180	395
	1624CS	16 x 24	310	670
	1632CS	16 x 32	405	835
	2032CS	20 x 32	630	1240
	2424CS	24 x 24	570	1230
	2436CS	24 x 36	850	1765

### Table 1 Maximum total enclosed area (Ae) that can be serviced by each individual model based on the given net area of engineered openings (Ao)

### **Installation Requirements and Limitations**

This certification will be voided if the following installation requirements and limitations are not enforced:

- There shall be a minimum of two openings on different sides of each enclosed area subject to flooding;
- The bottom of all openings shall be no higher than one foot above the higher of the interior or exterior grade that is immediately under each opening;
- No temporary (e.g. during cold weather) or permanent solid cover may be placed into or over the flood vent that would block the automatic entry or exit of floodwaters at any time;
- Where data or analyses indicate more rapid rates of rise and fall, the required number of openings shall be increased to account for those different conditions. The number or size of the openings may be decreased if data or analyses indicate rates of rise and fall are less than 5 feet per hour.

#### CARO **Certifying Design Professional** Title President Name MINIMINI Frederick Allen House HOUSE engineering CER! Company House Engineering P.C. P.C. 3900 Address PO Box 466, Kitty Hawk, NC 27949 OF AUTHORITHM License South Carolina License No. 26841 Signature: Pult altons, P.E. Date: 11/17/2017 PRICK A THIN

	Maria and the control of the control		
Idoutification o	faka Duilding a	and Installed Flood	Manta (Dr. Othona)
iuenuiication o	n the building a	nd Installed Flood	vents (By Others)

The flood vent models marked in Table 1\*) are being installed at the following building:

**Building Address** 

2nd Ave Morrells Inlet SC 29576

# Plastic - No Rust or Rot Crawlspace Door/Air Vent for Homes (New Construction & Replacement)

Easy Access • Modular Use • Can Be Painted

S. ()	MODEL	HxW (in)	Net Area (in²)
	1220CS	12 X 20	235
	1232CS	12 X 32	305
	1616CS	16 x 16	180
	1624CS	16 X 24	310
	1632CS	16 x 32	405
	2032CS	20 X 32	630
	2424CS	24 X 24	570
	2436CS	24×36	850

Plastic Crawlspace Doors & Vents Plastic Crawlspace Louvers/Screens

### Standard Door/Air Vent

Great for new construction and remodeling. One-piece doorplate with easy to insert vermin screen, fixed louver and door lid. Made of durable PVC/ABS plastic (no rust or rot) with a UV retardant treatment. Quick and easy to install.



MODEL	DOOR OPENING - H x W	TOTAL DIMENSION wth APPROXIMATE 3" FRAME
1220CS	12" H x 20" W	17 <sup>3</sup> / <sub>4</sub> " H × 26" W
1232CS	12" H x 32" W	17 <sup>3</sup> / <sub>4</sub> " H × 37 1/2" W
1616CS	16" H x 16" W	21 3/4" H x 21 3/4" W
1624CS	16" H x 24" W	21 <sup>3</sup> / <sub>4</sub> " H x 30" W
1632CS	16" H x 32" W	21 <sup>3</sup> / <sub>4</sub> " H x 37 1/2" W
2032CS	20" H x 32" W	25 1/2" H × 37 3/4" W
2424CS	24" H x 24" W	29 3/4" H x 30" W
2436CS	24" H x 36" W	29 <sup>3</sup> / <sub>4</sub> " H x 41 <sup>3</sup> / <sub>4</sub> " W

- All doors are surface mount meaning they mount over the foundation opening
- Because the frame / flange adds an approximate extra 3 inches around it is okay if your opening is a little smaller or bigger. So, you do not have to make a custom door
- All doors are paintable with a plastic adherent paint. We suggest Krylon Spray Paint and wait an hour then use Krylon Clear Coat for a lasting finish
- The frame / flange can be trimmed if needed since our doors are made of durable ABS Plastic
- All louvered doors come with mounting hardware, frame, screen, louver (vent) and a cover
- To remove the cover or louver just pull the pins out of the left and right side



Plastic Crawlspace Doors & Vents Plastic Crawlspace Louvers/Screens Engineered FEMA Flood Vents