U.S. DEPARTMENT OF HOMELAND SECURITY REDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

m	portant:	Read	the	instructions	٥n	nages	1_9
	portant.	Moau	uio	III I STI U CU O II O	VII	Payos.	1-3.

OMB No. 1660-0008

Expiration Date: July 31, 2015

SEC ⁻	TION A - PROPERTY IN	NFORMATION	FOR INSURANCE COMPANY USE			
A1. Building Owner's Name Crosbie Group Myrtle Beach, LLC	Policy Number:					
A2. Building Street Address (including Apt., Unit, Suite, and/or 4134 Edenborough Drive	Company NAIC Number:					
_ City Myrtle Beach	State SC ZIP	Code 29588				
A3. Property Description (Lot and Block Numbers, Tax Parcel I Horry County TMS# 190-32-02-055, Lot #8, Village At The Gate		etc.)	wol.			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential A5. Latitude/Longitude: Lat. 33°37'17" Long. 79°01'47" Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.						
 A7. Building Diagram Number 1B A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade c) Total net area of flood openings in A8.b d) Engineered flood openings? 	NA sq ft NA Sq in	 For a building with an att a) Square footage of att b) Number of permanen within 1.0 foot above c) Total net area of flood d) Engineered flood open 	ached garage <u>507</u> sq ft it flood openings in the attached garage adjacent grade <u>NA</u> d openings in A9.b <u>NA</u> sq in			
SECTION B - FLOOD	INSURANCE RATE MA	AP (FIRM) INFORMATION	ON			
B1. NFIP Community Name & Community Number Horry County 450104	B2. County Name Horry County	•	B3. State SC			
B4. Map/Panel Number B5. Suffix B6, FIRM Index I 09/17/2003	Date B7. FIRM Par Effective/Revised 12/03/2004	Date Zone(s)	B9 Base Flood Elevation(s) (Zone AO, use base flood depth)			
110. Indicate the source of the Base Flood Elevation (BFE) data						
☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other/Source: 11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other/Source: 12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☐ No Designation Date: ☐ CBRS ☐ OPA						
SECTION C - BUILDING	ELEVATION INFORMA	TION (SURVEY REQU	IRED)			
 Building elevations are based on: Construction De A new Elevation Certificate will be required when construction. Elevations – Zones A1~A30, AE, AH, A (with BFE), VE, V1—below according to the building diagram specified in Item A7 Benchmark Utilized: 26.202 Indicate elevation datum used for the elevations in items a) 	rawings* □ Buildion of the building is comple V30, V (with BFE), AR, AR, In Puerto Rico only, enter Vertical Datum: NGVD	ng Under Construction* tte. /A, AR/AE, AR/A1-A30, AF meters. 1929	Finished Construction			
 Building elevations are based on: Construction De A new Elevation Certificate will be required when construction. Elevations – Zones A1~A30, AE, AH, A (with BFE), VE, V1—below according to the building diagram specified in Item A7 Benchmark Utilized: 26.202 	rawings* □ Buildion of the building is comple V30, V (with BFE), AR, AR, In Puerto Rico only, enter Vertical Datum: NGVD	ng Under Construction* tte. /A, AR/AE, AR/A1A30, AF meters. 1929 D 1929 NAVD 1988	Finished Construction			
 Building elevations are based on: Construction De A new Elevation Certificate will be required when construction. Elevations – Zones A1~A30, AE, AH, A (with BFE), VE, V1—below according to the building diagram specified in Item A7 Benchmark Utilized: 26.202 Indicate elevation datum used for the elevations in items a) to Datum used for building elevations must be the same as that a) Top of bottom floor (including basement, crawlspace, or ethic by Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zoned) Attached garage (top of slab) 	rawings* □ Buildion of the building is comple V30, V (with BFE), AR, AR, In Puerto Rico only, enter Vertical Datum: NGVD through h) below. ☒ NGVE t used for the BFE. Inclosure floor)	ng Under Construction* tte. /A, AR/AE, AR/A1-A30, AF meters. 1929 0 1929 NAVD 1988 Chec 24.65 NA. NA. 24.28	Finished Construction WAH, AR/AO. Complete Items C2.a—h Other/Source: ck the measurement used. feet			
 Building elevations are based on:	rawings* □ Buildion of the building is comple V30, V (with BFE), AR, AR, In Puerto Rico only, enter Vertical Datum: NGVD through h) below. ☒ NGVE t used for the BFE. Inclosure floor)	ng Under Construction* tte. /A, AR/AE, AR/A1A30, AF meters. 1929 1929 NAVD 1988 Chec 24.65 NA. NA. 24.28 24.40 23.8	Finished Construction WAH, AR/AO. Complete Items C2.a—h Other/Source: ck the measurement used. feet			
 Building elevations are based on:	rawings*	ng Under Construction* tte. /A, AR/AE, AR/A1A30, AF meters. 1929 0 1929 NAVD 1988 Check 24.65 NA. NA. 24.28 24.40 23.8 24.2	Finished Construction WAH, AR/AO. Complete Items C2.a—h Other/Source: ck the measurement used. feet			
 Building elevations are based on:	rawings*	ng Under Construction* tte. /A, AR/AE, AR/A1A30, AF meters. 1929 D 1929 D NAVD 1988 Check 24.65 NA. NA. 24.28 24.40 23.8 24.2 ort 24.1	Finished Construction VAH, AR/AO. Complete Items C2.a-h Other/Source: ck the measurement used. Signature feet			
21. Building elevations are based on: "A new Elevation Certificate will be required when construction Described in Certificate will be required when construction in the Elevations – Zones A1~A30, AE, AH, A (with BFE), VE, V1—below according to the building diagram specified in Item A7 Benchmark Utilized: 26.202 Indicate elevation datum used for the elevations in items a) to Datum used for building elevations must be the same as that a) Top of bottom floor (including basement, crawlspace, or e) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zoned) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG)	rawings*	ng Under Construction* te. /A, AR/AE, AR/A1A30, AF meters. 1929 1929 NAVD 1988 Check 24.65 NA. NA. 24.28 24.40 CHITECT CERTIFICAT prized by law to certify eleval erpret the data available.	Finished Construction WAH, AR/AO. Complete Items C2.a—h Other/Source: ck the measurement used. feet			
C1. Building elevations are based on: A new Elevation Certificate will be required when construction A new Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1- below according to the building diagram specified in Item A7 Benchmark Utilized: 26.202 Indicate elevation datum used for the elevations in items a) to Datum used for building elevations must be the same as that a) Top of bottom floor (including basement, crawlspace, or e b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zone d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent grade at lowest elevation of deck or stair SECTION D − SURVEYO This certification is to be signed and sealed by a land surveyor, information. I certify that the information on this Certificate repret I understand that any false statement may be punishable by fine Check here if comments are provided on back of form.	rawings*	ng Under Construction* tte. /A, AR/AE, AR/A1—A30, AF meters. 1929 D 1929 D NAVD 1988 Chec 24.65 NA. NA. 24.28 24.40 CHITECT CERTIFICAT Drized by law to certify eleval and an experiment the data available. U.S. Code, Section 1001. de in Section A provided by	Finished Construction WAH, AR/AO. Complete Items C2.a—h Other/Source: ck the measurement used. feet			
A new Elevation Sare based on: "A new Elevation Certificate will be required when construction." Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-below according to the building diagram specified in Item A7 Benchmark Utilized: 26.202 Indicate elevation datum used for the elevations in items a): Datum used for building elevations must be the same as that a) Top of bottom floor (including basement, crawlspace, or e): Do of the next higher floor c): Bottom of the lowest horizontal structural member (V Zoned): Attached garage (top of slab) e): Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments): Lowest adjacent (finished): grade next to building (LAG): g): Highest adjacent (finished): grade next to building (HAG): h): Lowest adjacent grade at lowest elevation of deck or stain SECTION D - SURVEYO This certification is to be signed and sealed by a land surveyor, information. I certify that the information on this Certificate represent understand that any false statement may be punishable by fine Check here if comments are provided on back of form. Check here if attachments. Certifier's Name Jeffrey D. Solan PE, PES Title Company Name	rawings	rite. I/A, AR/AE, AR/A1—A30, AF meters. 1929 D 1929 NAVD 1988 Check 24.65 NA. NA. 24.28 24.40 CHITECT CERTIFICATION Prized by law to certify elevation and the company of the	Finished Construction WAH, AR/AO. Complete Items C2.a—h Other/Source: ck the measurement used. feet			
A new Elevation Sare based on: "A new Elevation Certificate will be required when construction Described in Certificate will be required when construction Described in Certificate will be required when construction Described in Certificate will be required when construction in Certificate will be required when construction in Certificate will be required when construction in Certificate representation of the Described in Certificate representation of Certifier's Name Jeffrey D. Solan PE, PKS	rawings	The construction tete. I/A, AR/AE, AR/A1—A30, AF meters. 1929 D 1929 NAVD 1988 Check 24.65 NA	Finished Construction WAH, AR/AO. Complete Items C2.a—h Other/Source: ck the measurement used. feet			

ELEVATION CERTIFICATE, pa	ge 2			<u></u>	
IMPORTANT: In these spaces, co	opy the corresponding information from S	Section A.	FOR INSURAN	ICE COMPANY USE	
Building Street Address (including Apt., 4134 Edenborough Drive	Unit, Suite, and/or Bldg. No.) or P.O. Route and l	Зох No.	Policy Number	:	
City Myrtle Beach	State SC Z	IP Code 29588	Company NAIC	Number:	
SECTION	D – SURVEYOR, ENGINEER, ÓR ARCHIT	ECT CERTIFICA	TION (CONTINUED)		
·Copy both sides of this Elevation Certifi	icate for (1) community official, (2) insurance ager	t/company, and (3)	building owner.		
Comments Reference LOMR - 04-04- Item C2.e is HVAC unit servicing the bi					
Signature ////	Date 0	2-27-15			
SECTION E BUILDING ELEV	ATION INFORMATION (SURVEY NOT RE	QUIRED) FOR 2	ONE AO AND ZONE	A (WITHOUT BFE)	
For Zones AO and A (without BFE), complete items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is					
	F – PROPERTY OWNER (OR OWNER'S R				
	red representative who completes Sections A, B, and E are correct to the be			community-issued BFE)	
Property Owner's or Owner's Authorize		<u> </u>			
Address	City		State ZIP C	ode	
Signature	Date		Telephone		
Comments				Check here if attachments	
The least off interest in the investment to the	SECTION G - COMMUNITY INFORM		•		
	or ordinance to administer the community's floodpla applicable item(s) and sign below. Check the meas				
G1. The information in Section C was authorized by law to certify a G2. A community official completed G3. The following information (Item	ras taken from other documentation that has been elevation information. (Indicate the source and dad Section E for a building located in Zone A (withous G4–G10) is provided for community floodplain r	signed and sealed te of the elevation o ut a FEMA-issued o nanagement purpo	by a licensed surveyor, edata in the Comments are or community-issued BFE ses.	engineer, or architect who a below.)) or Zone AO.	
G4. Permit Number	G5. Date Permit Issued	G6. Date Certific	ate Of Compliance/Occup	pancy Issued	
G7. This permit has been issued for: G8. Elevation of as-built lowest floor (in G9. BFE or (in Zone AO) depth of flood G10. Community's design flood elevation Local Official's Name Community Name	ing at the building site: Title	☐ feet ☐ m ☐ feet ☐ m ☐ feet ☐ m	eters Datum eters Datum eters Datum		
				· · · · · · · · · · · · · · · · · · ·	
Signature Comments	Date	 			
		· · · · · · · · · · · · · · · · · · ·		Check here if attachments	

ELEVATION CERTIFICATE, page 3

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces	conv the corresponding	information from Section A
IMPORTANT: In these spaces.	copy the corresponding	Information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

Policy Number:

City Myrtle Beach

4134 Edenborough Drive

State SC

ZIP Code 29588

Company NAIC Number:

FOR INSURANCE COMPANY USE

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Front View 02/27/15



Right Side View 02/27/15



Rear View 02/27/15



Left Side View 02/27/15