## **Horry County Government**

Code Enforcement Department www.horrycounty.org



Horry County Government & Justice Center 1301 Second Avenue / Suite 1D09 Conway, South Carolina 29526 Phone 843.915.5090 || Fax 843.915.6090

## MEMO OF REVIEW FOR CORRECTNESS AND COMPLETION

In accordance with this community's participation in the National Flood Insurance Program's Community Rating System, all FEMA Elevation Certificates must be correct and complete. The attached Certificate has some incorrect items which are noted here.

	CECTION A DECREENT INFORMA	TION For Incurrence Company Uses
A4 Division Ormada Name	SECTION A - PROPERTY INFORMA	
A1. Building Owner's Name	za na C	Policy Number
A2. Building Street Address (including Apt., Unit, Su	te, and/or Bldg. No.) or P.O. Route and Box No	Company NAIC Number
City // State ZIP Code	100 00	
A3. Property Description (Lot and Block Numbers, T	ax Parcel Number, Legal Description, etc.)	
	and the state of t	
AA Deilden Hen (on Desidential New Desidential	A deltalor. A consequence	<del></del>
A4. Building Use (e.g., Residential, Non-Residential.  A5. Latitude/Longitude: Lat Long	Addition, Accessory, etc.)	Horizontal Datum: NAD 1927 NAD 1983
A6. Attach at least 2 photographs of the building if the	e Certificate is being used to obtain flood insura	
A7. Building Diagram Number		
A8. For a building with a crawl space or enclosure(s	, provide A9. For a bu	ilding with an attached garage, provide:
<ul> <li>a) Square footage of crawl space or enclosure</li> </ul>	s) sq.ft a) Squ	are footage of attached garage sq ft
<li>b) No. of permanent flood openings in the craw</li>		of permanent flood openings in the attached garage
enclosure(s) walls within 1.0 foot above adja		within 1.0 foot above adjacent grade
c) Total net area of flood openings in A8.b		I net area of flood openings in A9.b sq in
d) Engineered flood openings?	□No d) Eng	ineered flood openings? ☐Yes ☐No
SECTION B	FLOOD INSURANCE RATE MAP (FIRM	) INFORMATION
B1. NFIP Community Name & Community Number	B2. County Name	B3. State
	-	
B4. Map/Panel Number   B5. Suffix   B6. F	IRM Index B7. FIRM Panel	B8. Flood B9. Base Flood Elevation(s) (Zon
Bo. Callix	Date Effective/Revised Date	Zone(s) AO, use base flood depth)
10. Indicate the source of the Base Flood Elevation (E	IFE) data or base flood depth entered in Item B	).
	unity Determined	
11. Indicate elevation datum used for BFE in Item B9		Other/Source:
Is the building located in a Coastal Barrier Resoult	- · · · · · · · · · · · · · · · · · · ·	
Designation Date	CBRS OPA	a Alea (Ol A): [ Tes [ No
<u> </u>		
SECTION C - B	UILDING ELEVATION INFORMATION (S	JRVEY REQUIRED)
<u> </u>	uction Drawings* Building Under C	onstruction*
onstruction		
*A new Elevation Certificate will be required when o		DUA 100 1DUU 1DUO 0 0 0 1
<ol><li>Elevations – Zones A1-A30, AE, AH, A (with BFE), Items C2.a-h below according to the building diagra</li></ol>	VE, V1-V30, V (WITH BFE), AR, AR/A, AR/AE, A on specified in Item A7	R/A1-A30, AR/AH, AR/AO. Complete
Renchmark Utilized 16-717 Back	T. P. Rhanday Vortical Datum	
Benchmark Utilized 26-212 per	ZLS.	_
Indicate elevation datum used for the eleva	ations in items a) through h) below $\Box$	CVD 1929 III NAVD 1999 III Othor
indicate elevation datum used for the eleva-	icions in items a) through it below.	OAD 1959 THYAD 1999 TOttlet
COMMENTS:	_	
C2. Benefmark	Incomplete	
		<del></del>
1/ -	/	./ . 1
late of Review: 3/9/2015	Community Official:	1d Eds

All elevation certificates shall be maintained by the community and copies with the attached memo made available upon request.

## U.S. DEPARTMENT OF HOMELAND SECURITY Rederai Emergency Management Agency

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008

Expires March 31, 2012

National Flood Insurance Program Imp	ortant: Read the instru	ctions on pages 1-9.	HK-40 3/22/11
	SECTION A - PROPER	TY INFORMATION	For Insurance Company Use:
A1. Building Owner's Name LARRY WILLIAMS			Policy Number
A2. Building Street Address (including Apt., Unit, Suite, 8388 HIGHWAY 814	and/or Bldg. No.) or P.O. Ro	ite and Box No.	Company NAIC Number
City MYRTLE BEACH State SC ZIP Code	29588		Olla
A3. Property Description (Lot and Block Numbers, Tax LOT 1	Parcel Number, Legal Descrip TMS NO. 170-00-06-		Miller
<ul> <li>A4. Building Use (e.g., Residential, Non-Residential, At A5. Latitude/Longitude: Lat. 33.72330 Long. 079.0313</li> <li>A6. Attach at least 2 photographs of the building if the C6.</li> <li>A7. Building Diagram Number 5.</li> <li>A8. For a building with a crawlspace or enclosure(s):</li> <li>a) Square footage of crawlspace or enclosure(s)</li> <li>b) No. of permanent flood openings in the crawlspace enclosure(s) within 1.0 foot above adjacent gra</li> </ul>	9 Horizontal Datum: No	AD 1927  NAD 1983  In flood insurance.  A9. For a building with an atta  a) Square footage of att	ached garage <u>0</u> sq ft od openings in the attached garage
c) Total net area of flood openings in A8.b		c) Total net area of flood d) Engineered flood ope	d operhings in A9.b <u>0</u> sq in
		E MAP (FIRM) INFORMATIO	
481, NFIP Community Name & Community Number	B2. County Name		B3. State
HORRY COUNTY 450104	HORRY		SOUTH CAROLINA
#84. Map/Panel Number #85. Suffix #86. FIR Da 9/1:	te V Effective/Rev	ised Date Zone(s)	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 6 ft.
*A new Elevations are based on: Constru *A new Elevation Certificate will be required when constructions — Zones A1-A30, AE, AH, A (with BFE), Note that the below according to the building diagram specified in Benchmark Utilized Vertical Datum 29	nstruction of the building is co E, V1-V30, V (with BFE), AR,	AR/A, AR/AE, AR/A1-A30, AR/A	☑ Finished Construction  AH, AR/AO. Complete Items C2.a-h
Conversion/Comments		/ Check the measure	amont land
a) Top of bottom floor (including basement, crawls b) Top of the next higher floor c) Bottom of the lowest horizontal structural memb d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment se (Describe type of equipment and location in Col f) Lowest adjacent (finished) grade next to building	er (V Zones only)  N/A.  N/A.  rvicing the building 14.0 nments) g (LAG)  12.2	Seet   meters (Pue	erto Rico only)
<ul> <li>g) Highest adjacent (finished) grade next to buildin</li> <li>h) Lowest adjacent grade at lowest elevation of de</li> </ul>	- · · · — -		* ·
structural support SECTION D - SUI	EVEYOR ENGINEER OR	ARCHITECT CERTIFICATI	
This certification is to be signed and sealed by a land su information. I certify that the information on this Certifice understand that any false statement may be punishable. Check here if comments are provided on back of for	rveyor, engineer, or architect ate represents my best efforts by fine or imprisonment under	authorized by law to certify eleva to interpret the data available.! 18 U.S. Code, Section 1001.⊠ ngitude in Section A provided by	tion
Certifier's Name JAMES R. BLANTON P.L.S.	Lice	nse Number 15511	
Title LAND SURVEYOR Company	Name BLANTON LAND SUF	RVEYING INC.	- finh
		SC ZIP Code 2957	9
Signature / www.	-Date 12/2/10 Tele	phone 843-602-7080	

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)  For Zones AO and A (without BFE), complete Items £1-£5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A. B., and C. For Items £1-£4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.  1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).  2) Top of bottom floor (including basement, crawispace, or enclosure) is	Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No.  8388 HIGHWAY 814  City MTRTLE BEACH	Check here if attachments  Check here if attachments  AND ZONE A (WITHOUT BFE)  Frequest, complete Sections A, B, eters. above or below the highest adjacent  above or below the HAG. above or below the LAG. of instructions), the next higher floor
Belliching Street Address (crockeding Act, Unit, State, and/or Blog, No.) or P.O. Route and Box No.  2888 HIGHMAY 814  City MTRTLE BEACH State SC ZIP Code 29588  SCETION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)  Copy both acties of the Elevation certificate for (1) community official, (2) insurance agent/company, and (3) building owner.  Comments C2 (a) FINISHED FLOOR (MOBILE HOME)  Signature  Date 122/10  Check here if attachments  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)  For Zones AO and A without BFE), complete latems ELES, if the Certificate is intended to support a LOMA or LOWAS-Request complete Sections A. B., and C. For Investment ELES, use nature grade. (Fax) and the lowest adjacent grade (AAO),  a) Top of bottom floor (including basement, crawlepson, or enclosure) is  11. Provide elevation reformation for the following and check the appropriate boxes to show whether the elevation is above or    below the HAG.  12. For Educing Diagrams e/3 with permanent floor generics provide in Section 1. Items 8 indion (see pages 8-9 of instructions), the next higher floor  13. Attached garage (top of stalls) is  14. Top of plantom of machinery and/or equipment servicing the building is  15. Zone AO only if no flood depth number is a valiable, in bet on of the bottom floor elevated in economisms of the section of the	Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No.  8388 HIGHWAY 814  City MTRTLE BEACH	Company NAIC Number  Check here if attachments  AND ZONE A (WITHOUT BFE)  Frequest, complete Sections A, B, eters. above or below the highest adjacent  above or   below the HAG. above or   below the LAG. of Instructions), the next higher floor
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)  Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agend/company, and (3) building owner.  Comments C2 (a) FINISHED FLOOR (MOBILE HOME)  SIgnature	SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CCC Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building a CCC (a) FINISHED FLOOR (MOBILE HOME)  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE ACC PAD  For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOME and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter m E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is grade (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters (elevation C2.b in the diagrams) of the building is feet meters above or below the HAG.  E3. Attached garage (top of slab) is feet meters above or below the HAG.  E4. Top of platform of machinery and/or equipment servicing the building is feet meters above or below the HAG.  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community of the property is the property of the position of the position of the bottom floor elevated in accordance with the community of the property of the property of the position of the position of the position of the property of the position of the position of the property of the	Check here if attachments  AND ZONE A (WITHOUT BFE)  Frequest, complete Sections A, B, eters. above or below the highest adjacent above or below the HAG. above or below the LAG. of Instructions), the next higher floor
Corprised sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.  Comments C2 (a) FINSHED FLOOR (MOBILE HOME)  Signature	Comments C2 (a) FINISHED FLOOR (MOBILE HOME)  Signature Date 12/2/10  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AC  For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOME and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Ricco only, enter measured (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is feetmeters b) Top of bottom floor (including basement, crawlspace, or enclosure) is feetmeters (elevation C2.b in the diagrams) of the building is feetmeters above or below the HAG.  E3. Attached garage (top of slab) is feetmeters above or below the HAG.  E4. Top of platform of machinery and/or equipment servicing the building is feetmeters above or below the HAG.  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the complex of the position of the position of the building is feetmeters above or below the HAG.	Check here if attachments  AND ZONE A (WITHOUT BFE)  Frequest, complete Sections A, B, eters.  above or below the highest adjacent  above or below the HAG.  above or below the LAG.  of Instructions), the next higher floor
Signature	Signature  Date 12/2/10  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE ACT Zones ACT and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMF and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter more than 10 percent of the following and check the appropriate boxes to show whether the elevation is grade (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters b) Top of platform of machinery and/or equipment servicing the building is feet meters below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is feet meters below the top of the bottom floor elevated in accordance with the feet feet meters below the top of the bottom floor elevated in accordance with the feet feet feet feet	Check here if attachments  AND ZONE A (WITHOUT BFE)  F request, complete Sections A, B, eters.  above or below the highest adjacent  above or below the HAG.  above or below the LAG.  of Instructions), the next higher floor
Signature  Date 12/2/10  SecTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)  For Zones AO and A (without BFE), complete items £1-£5. If the Certificate is intended to support a LOMA or LOMA-F request, complete Sections A. 6, and C. For Items £1-£4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.  E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (if A4O), and the lovest grade (if A4O) and the lovest grade (if A4O), and the lovest grade (if A4O) an	Signature  Date 12/2/10  SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE ACT To provide elevation information for the following and check the measurement used. In Puerto Rico only, enter measurement elevation information for the following and check the appropriate boxes to show whether the elevation is grade (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters elevation C2.b in the diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-(elevation C2.b in the diagrams) of the building is feet meters above or below the HAG.  E3. Attached garage (top of slab) is feet meters above or below the HAG.  E4. Top of platform of machinery and/or equipment servicing the building is feet meters as feet	AND ZONE A (WITHOUT BFE)  F request, complete Sections A, B, eters.  above or below the highest adjacent  above or below the HAG.  above or below the LAG.  of Instructions), the next higher floor
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)  For Zones AO and A owithout BFE), complete items E1-E5. If the Certificate is intended to support a LOMA or LOMAF request, complete Sections A, B, and C, For Items E1-E4, use natural grade, if available. Check the measurement used. In Puterto Rico only, entire meters.  E1. Provide evaluation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (LAG); a) Top or bottom floor (including basement, crawispace, or enclosure) is a) Top or bottom floor (including basement, crawispace, or enclosure) is b) Top or bottom floor (including basement, crawispace, or enclosure) is c) Top or bottom floor (including basement, crawispace, or enclosure) is d) Top or bottom floor (including basement, crawispace, or enclosure) is d) Top or bottom floor (including basement, crawispace, or enclosure) is d) Top or bottom floor (including basement, crawispace, or enclosure) is d) Top or bottom floor (including basement, crawispace, or enclosure) is d) Top or bottom floor (including basement, crawispace, or enclosure) is d) Top or bottom floor (including basement, crawispace, or enclosure) is d) Top or bottom floor (including basement, crawispace) d) Top or bottom floor (including basement, crawispace) d) Top or bottom floor (including basement, crawispace) d) Top or platform of machinery and/or equipment servicing the building is d) Top or platform of machinery and/or equipment servicing the building is d) Top or platform of machinery and/or equipment servicing the building is d) Top or platform of machinery and/or equipment servicing the building is d) Top or platform of machinery and/or equipment servicing the building is d) Top or platform of machinery and/or equipment servicing the building is d) Top or platform of machinery and/or equipment servicing the building is d) Top or platform of machinery and/or equipment servicing the building is d) Top o	SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE ACCEPTION OF SURVEY NOT REQUIRED FOR ZONE ACCEPTION OF SURVEY NOT REQUIRED FOR ZONE ACCEPTION OF SURVEY NOT REQUIRED. FOR ZONE ACCEPTION OF SURVEY NOT REQUIRED FOR ZONE ACCEPTION OF SURVEY NOT REQUIRED. FOR ZONE ACCEPTION OF SURVEY NOT RECUIRED. FOR ZONE ACCEPTION OF SURVEY NOT RECUIRED. FOR ZO	AND ZONE A (WITHOUT BFE)  F request, complete Sections A, B, eters.  above or below the highest adjacent  above or below the HAG.  above or below the LAG.  of Instructions), the next higher floor
SeCTION 6 - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)  For Zones AO and A (without BFE), complete Items E1-E5. If the Cartificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade (FAC) and the lowest adjacent grade (LAG) and the lowest property of the lowest grade (LAG) and the lowest	SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE ACCEPTION OF SURVEY NOT REQUIRED OF ACCEPTION OF SURVEY NOT REQUIRED OF ACCEPTION OF AC	AND ZONE A (WITHOUT BFE)  F request, complete Sections A, B, eters.  above or below the highest adjacent  above or below the HAG.  above or below the LAG.  of Instructions), the next higher floor
For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C, For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.  E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (LAG) and the lowest adjacent grade (LAG).  a) Top or bottom floor (including basement, crawlepsoc, or enclosure) is	For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMF and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter measurement used. In	-F request, complete Sections A, B, eters.  above or below the highest adjacent  above or □ below the HAG.  above or □ below the LAG.  of Instructions), the next higher floor
SECTION G - COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.  G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  G3. The following information (Items G4-G9) is provided for community floodplain management purposes.  G4. Permit Number G5. Date Permit Issued G6. Date Certificate Of Compliance/Occupancy Issued  G6. Date Certificate Of Compliance/Occupancy Issued  G7. This permit has been issued for: New Construction Substantial Improvement  G8. Elevation of as-built lowest floor (including basement) of the building: Feet meters (PR) Datum  G9. BFE or (in Zone AO) depth of flooding at the building site: Feet meters (PR) Datum  G10. Community's design flood elevation  Title  Community Name Telephone  Signature Date	The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a For Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.  Property Owner's or Owner's Authorized Representative's Name  Address  City State  Signature  Date Telep	bove or  below the HAG. ne community's floodplain management  IFICATION  EMA-issued or community-issued BFE)  ZIP Code
SECTION G - COMMUNITY INFORMATION (OPTIONAL)  The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.  The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  32.		
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.  G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)  G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.  G3. The following information (Items G4-G9) is provided for community floodplain management purposes.  G4. Permit Number		☐ <u>Check here</u> if attachments
G7. This permit has been issued for: New Construction Substantial Improvement G8. Elevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum G9. BFE or (in Zone AO) depth of flooding at the building site: feet meters (PR) Datum G10. Community's design flood elevation feet meters (PR) Datum  Local Official's Name Title  Community Name Telephone  Signature Date	The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in light of the information in Section C was taken from other documentation that has been signed and sealed by a licer is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the G2.   A community official completed Section E for a building located in Zone A (without a FEMA-issued or community).	ems G8 and G9. sed surveyor, engineer, or architect who Comments area below.)
G8. Elevation of as-built lowest floor (including basement) of the building:	G4. Permit Number G5. Date Permit Issued G6. Date Certificate Of Co	npliance/Occupancy Issued
Comments	G8. Elevation of as-built lowest floor (including basement) of the building:	um
	Comments	